



US 20220118979A1

(19) **United States**

(12) **Patent Application Publication Pursifull**

(10) **Pub. No.: US 2022/0118979 A1**

(43) **Pub. Date: Apr. 21, 2022**

(54) **METHODS AND APPARATUS TO PERFORM A TANK TURN**

(52) **U.S. Cl.**

CPC **B60W 30/188** (2013.01); **B60G 3/00** (2013.01); **B60G 17/0162** (2013.01); **B60K 35/00** (2013.01); **B60K 1/02** (2013.01); **B60K 2370/12** (2019.05); **B62D 7/1563** (2013.01); **B62D 7/1509** (2013.01); **B60G 2400/60** (2013.01); **B60K 2370/11** (2019.05); **B62D 7/146** (2013.01)

(71) Applicant: **Ford Global Technologies, LLC**, Dearborn, MI (US)

(72) Inventor: **Ross Dykstra Pursifull**, Dearborn, MI (US)

(21) Appl. No.: **17/072,789**

(57)

ABSTRACT

(22) Filed: **Oct. 16, 2020**

Methods, apparatus, systems and articles of manufacture are disclosed to perform a tank turn. An example vehicle includes a first wheel and a second wheel, the first wheel located on an end of a first axle, the second wheel located on an end of a second axle, the end of the first axle opposite to the end of the second axle, a first suspension coupled to the first wheel, a second suspension coupled to the second wheel, and a controller to drive the first axle in a first direction, drive the second axle in a second direction, the first direction different from the second direction, and decrease a first suspension load of the first suspension and a second suspension load of the second suspension.

Publication Classification

(51) **Int. Cl.**

B60W 30/188	(2006.01)
B60G 3/00	(2006.01)
B60G 17/016	(2006.01)
B60K 35/00	(2006.01)
B60K 1/02	(2006.01)
B62D 7/14	(2006.01)
B62D 7/15	(2006.01)

