

US011455691B2

(12) United States Patent

Brandmaier et al.

(54) PROCESSING INSURED ITEMS HOLISTICALLY WITH MOBILE DAMAGE ASSESSMENT AND CLAIMS PROCESSING

(71) Applicant: Allstate Insurance Company, Northbrook, IL (US)

(72) Inventors: Jennifer A. Brandmaier, Chicago, IL
(US); Mark E. Faga, Evanston, IL
(US); Robert H. Johnson, Hoffman
Estates, IL (US); Daniel Koza,
Hinsdale, IL (US); William Loo,
Arlington Heights, IL (US); Clint J.
Marlow, Barrington, IL (US); Kurt M.

Stricker, Northfield, IL (US)

(73) Assignee: ALLSTATE INSURANCE COMPANY, Northbrook, IL (US)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35

U.S.C. 154(b) by 0 days.

(21) Appl. No.: 16/586,008

(22) Filed: Sep. 27, 2019

(65) Prior Publication Data

US 2020/0402178 A1 Dec. 24, 2020

Related U.S. Application Data

- (63) Continuation-in-part of application No. 13/587,635, filed on Aug. 16, 2012, now Pat. No. 10,430,885.
- (51) Int. Cl. G06Q 40/08 (2012.01) H04N 5/232 (2006.01) H04N 1/00 (2006.01)

(Continued)

(10) Patent No.: US 11,455,691 B2

(45) **Date of Patent:** Sep. 27, 2022

(58) Field of Classification Search

(Continued)

(56) References Cited

U.S. PATENT DOCUMENTS

4,899,292 A 5,128,859 A 2/1990 Montagna et al. (Continued)

FOREIGN PATENT DOCUMENTS

CN 1828336 A 9/2006 EP 1 215 612 A1 6/2002 (Continued)

OTHER PUBLICATIONS


May 18, 2017—U.S. Final Office Action—U.S. Appl. No. 14/671,617. (Continued)

Primary Examiner — Sara C Hamilton (74) Attorney, Agent, or Firm — Foley & Lardner LLP

(57) ABSTRACT

Systems and methods provide for an automated system for analyzing damage to process claims and pre-claim consultations associated with an insured item, such as a vehicle. An enhanced claims processing server may analyze damage associated with the insured item using photos/video transmitted to the server from a user device (e.g., a mobile device). The mobile device may receive feedback from the server regarding the acceptability of submitted photos/video, and if the server determines that any of the submitted photos/video is unacceptable, the mobile device may capture additional photos/video until all of the data are deemed acceptable. In addition, the server may interface with third party entities such as repair shops and may generate a payment for compensating a claimant for repair of the insured item.

16 Claims, 26 Drawing Sheets



US 11,455,691 B2

Page 2

(52)	U.S. Cl.			2006/0098899	A1	5/2006	King et al.
(32)		HO	4N 5/232939 (2018.08); H04N	2007/0027726			Warren et al.
	C1 C			2008/0052134			Nowak et al.
		2201/003	(5 (2013.01); H04N 2201/0084	2008/0059238			Park et al.
			(2013.01)	2008/0255722			McClellan et al.
(58)	Field of Cla	ssificatio	n Search	2008/0255887		10/2008	
	USPC		705/4	2008/0253887		10/2008	
	See applicat	ion file fo	r complete search history.	2009/0018859			Purifoy et al.
				2009/0018839			Blair et al.
(56)		Doforon	ces Cited				
(50)		Referen	ices Cited	2009/0100106			Anthony et al.
	11.0	DATENIT	DOCUMENTS	2009/0138290			Holden Jones et al.
	0.5.	IAIDNI	DOCUMENTS	2009/0147988			
	5,317,503 A	5/1994	Inqua	2009/0234678			Arenas
	5,432,904 A	7/1995		2009/0265193			Collins et al.
	5,504,674 A		Chen et al.	2009/0309893			Boothroyd et al.
	5,950,169 A		Borghesi et al.	2010/0036683		2/2010	e
	6,141,611 A		Mackey et al.	2010/0066012	A1		Yamazaki et al.
	6,185,540 B1		Schreitmueller et al.	2010/0088123	A1	4/2010	McCall et al.
	7,092,369 B2		Fuccello et al.	2010/0138298	A1	6/2010	Fitzgerald et al.
	7,197,444 B2		Bomar, Jr. et al.	2010/0174564	A1	7/2010	Stender et al.
	7,203,654 B2		Menendez	2010/0183246	$\mathbf{A}1$	7/2010	King et al.
	7,263,493 B1	8/2007	Provost et al.	2011/0040692	A1		Ahroon
	7,324,951 B2	1/2008	Renwick et al.	2011/0054806			Goldfine et al.
4	7,346,523 B1	3/2008	Provost et al.	2011/0085211			King et al.
	7,432,938 B1		Reuter et al.	2011/0161100			Peak et al.
	7,586,654 B2		Hoberock	2011/0161116			Peak et al.
	7,702,529 B2		Wahlbin et al.				Busque et al.
	7,734,485 B1		Bohanek	2011/0161117			•
	7,809,587 B2		Dorai et al.	2011/0161118			Borden et al.
	7,873,710 B2		Kiley et al.	2011/0196707			Danico et al.
	7,889,931 B2		Webb et al. Aquila et al.	2011/0213628			Peak et al.
	7,953,615 B2 7,962,485 B1		Trandal et al.	2011/0218825			Hertenstein
	8,005,720 B2		King et al.	2011/0270641			Rossmark et al.
	8,015,036 B1		Leisure	2011/0313936		12/2011	
	8,019,629 B1		Medina, III et al.	2011/0313951		12/2011	
	8,035,639 B2	10/2011		2012/0066012	A1	3/2012	
	8,081,795 B2	12/2011	Brown	2012/0290333	A1	11/2012	Birchall
;	8,095,394 B2	1/2012	Nowak et al.	2012/0297337	A1	11/2012	St. Denis et al.
	8,239,220 B2		Kidd et al.	2013/0100306	A1*	4/2013	Bekiares H04N 5/23296
	8,306,258 B2	11/2012					348/211.99
	8,510,196 B1		Brandmaier et al.	2013/0297353	Al	11/2013	Strange et al.
	8,554,587 B1		Nowak et al.	2013/0317861	A1*	11/2013	Tofte G06Q 40/08
	8,650,106 B1		Hopkins, III				705/4
	8,712,893 B1 9,137,417 B2*		Brandmaier et al. Macciola G06T 5/001	2014/0032430	$\mathbf{A}1$	1/2014	Sieger
	9,691,189 B1		Creath	2014/0108058	$\mathbf{A}1$	4/2014	Bourne et al.
	9,824,453 B1		Collins et al.	2014/0122133	A1	5/2014	Weisberg et al.
	9,846,915 B2		Howe et al.	2014/0229207	A1		Swamy et al.
	9,970,881 B1		Hillman et al.	2014/0266789	A1	9/2014	•
19	0,332,209 B1	6/2019	Brandmaier et al.	2014/0327940			Amtrup G06K 9/6267
10	0,373,262 B1	8/2019	Haller, Jr. et al.				358/473
	0,373,387 B1		Fields et al.	2015/0029346	A1	1/2015	Sieger et al.
	0,380,696 B1		Haller, Jr. et al.	2015/0073864			Labrie et al.
	0,430,885 B1		Brandmaier et al.				Aggarwal G06T 5/003
	0,430,886 B1		Brandmaier et al.	2015/0150115	711	0/2013	348/208.1
	0,572,944 B1 *		Brandmaier G06Q 40/08	2015/0294419	A 1	10/2015	Gonzalez Miranda et al.
	0,573,012 B1 *		Collins				Macciola H04N 1/3878
	0,580,075 B1 * 0,621,675 B1		Brandmaier G06Q 40/08 Genser et al.	2013/0324039	AI	11/2013	382/112
	0,650,617 B2		Schmitt et al.	2015/02/02/02/04	A 1	12/2016	
	0,783,585 B1		Banerjee et al.	2015/0348204		12/2015	
			Brandmaier H04N 1/00183	2015/0363717		12/2015	
	0,846,556 B2		Hou et al.	2015/0305000	Al	12/2015	Pollack H04N 5/23222
	0,902,525 B2	1/2021	Kelsh et al.	2016/0171622	4.1	C/201C	348/239
2002	/0002475 A1	1/2002	Freedman et al.	2016/0171622			Perkins et al.
	/0055861 A1		King et al.	2017/0046788			Macciola G06K 9/00463
	/0161533 A1	10/2002		2017/0111532			Amtrup H04N 5/23206
	2/0188479 A1		Renwick et al.	2017/0116494			Isaev G06K 9/00449
	/0219169 A1		Sartor et al.	2017/0270612			Howe et al.
	/0064345 A1 /0153346 A1		Ajamian et al. Grundel et al.	2017/0270650			Howe et al.
	70133346 A1 70125127 A1		Bomar et al.	2017/0293894			Taliwal et al.
	//0228683 A1		Saylor et al.	2017/0330207			Labrie et al.
	0226063 A1		Fournier	2017/0330284			Tofte et al.
	/0251427 A1		Dorai et al.				Eronen G06F 3/017
2006	/0029296 A1	2/2006	King et al.	2018/0260793			Li et al.
2006	/0080154 A1	4/2006	Larsen	2019/0019295	A1*	1/2019	Lehtiniemi G06T 7/20

References Cited (56)

U.S. PATENT DOCUMENTS

2020/0065632 A1* 2/2020 Guo G06N 3/0454 2020/0242838 A1 7/2020 Kuruvilla et al.

FOREIGN PATENT DOCUMENTS

EP	1215612	A1	6/2002
JP	2000050156	Α	2/2000
JP	2010157267	A	7/2010
KR	2002008466	Α	1/2002
KR	20060031208	Α	4/2006
WO	2010026170	A1	3/2010
WO	2011157064	A1	12/2011
WO	2012113084	A1	8/2012
WO	2013003957	A1	1/2013
WO	PCT/U82020/052698		9/2020

OTHER PUBLICATIONS

May 24, 2017-U.S. Non-Final Office Action-U.S. Appl. No. 14/063.517

Jul. 10, 2017-U.S. Non-Final Office Action-U.S. Appl. No. 14/190,976

Aug. 22, 2017—U.S. Final Office Action—U.S. Appl. No. 13/587,635. Sep. 13, 2017—U.S. Final Office Action—U.S. Appl. No. 14/063,517. Sep. 18, 2017—U.S. Final Office Action—U.S. Appl. No. 13/892,598. Sep. 25, 2017-U.S. Non-Final Office Action-U.S. Appl. No. 13/834,170

Sep. 25, 2017—U.S. Non-Final Office Action—U.S. Appl. No. 13/834,161

Oct. 6, 2017—U.S. Final Office Action—U.S. Appl. No. 13/587,630. Oct. 20, 2017-U.S. Non-Final Office Action-U.S. Appl. No. 13/834,210.

Nov. 1, 2017—U.S. Final Office Action—U.S. Appl. No. 14/671,602. Dec. 1, 2017—U.S. Non-Final Office Action—U.S. Appl. No. 13/933,576

Dec. 7, 2017—U.S. Non-Final Office Action—U.S. Appl. No. 14/671,617

Dec. 8, 2017—U.S. Non-Final Office Action—U.S. Appl. No. 14/063,570

Jan. 9, 2018—U.S. Non-Final Office Action—U.S. Appl. No. 13/892.598.

Jan. 12, 2018—U.S. Final Office Action—U.S. Appl. No. 13/834,161. Mar. 12, 2018—U.S. Non-Final Office Action—U.S. Appl. No. 14/063.517

Mar. 9, 2018—U.S. Final Office Action—U.S. Appl. No. 14/269,387. Mar. 14, 2018—U.S. Final Office Action—U.S. Appl. No. 13/834,170. Mar. 14, 2018—U.S. Final Office Action—U.S. Appl. No. 13/834,210. Mar. 16, 2018—U.S. Final Office Action—U.S. Appl. No. 14/063,570. Mar. 16, 2018—U.S. Final Office Action—U.S. Appl. No. 13/933,576. Mar. 21, 2018—U.S. Non-Final Office Action—U.S. Appl. No.

14/671.602 Mar. 28, 2018-U.S. Non-Final Office Action-U.S. Appl. No. 13/587,635

Mar. 30, 2018—U.S. Non-Final Office Action—U.S. Appl. No. 13/587,630

Mar. 27, 2018—U.S. Non-Final Office Action—U.S. Appl. No. 15/855,057.

Apr. 3, 2018—U.S. Final Office Action—U.S. Appl. No. 14/190,976. Jun. 20, 2018—U.S. Non-Final Office Action—U.S. Appl. No. 13/834,161.

Jun. 26, 2018—U.S. Final Office Action—U.S. Appl. No. 13/892,598. Jul. 6, 2018—U.S. Final Office Action—U.S. Appl. No. 14/671,602. Aug. 15, 2018—U.S. Non-Final Office Action—U.S. Appl. No. 13/834.170

Sep. 5, 2018—U.S. Final Office Action—U.S. Appl. No. 14/063,517. Sep. 4, 2018—U.S. Non-Final Office Action—U.S. Appl. No. 13/834,210.

Sep. 17, 2018—U.S. Non-Final Office Action—U.S. Appl. No. 13/933,576.

Sep. 21, 2018—U.S. Final Office Action—U.S. Appl. No. 14/671,617. Oct. 4, 2018—U.S. Final Office Action—U.S. Appl. No. 15/855,057. Oct. 5, 2018—U.S. Final Office Action—U.S. Appl. No. 13/587,630. Nov. 2, 2018-U.S. Non-Final Office Action-U.S. Appl. No. 14/269,387

Oct. 9, 2018—U.S. Final Office Action—U.S. Appl. No. 13/834,161. Nov. 9, 2018-U.S. Non-Final Office Action-U.S. Appl. No. 14/063,570

Nov. 13, 2018—U.S. Final Office Action—U.S. Appl. No. 13/587,635. Nov. 14, 2018-U.S. Non-Final Office Action-U.S. Appl. No. 13/892,598.

Jan. 14, 2019—U.S. Final Office Action—U.S. Appl. No. 13/834,170. Feb. 6, 2019—U.S. Notice of Allowance—U.S. Appl. No. 14/190,976. Feb. 21, 2019—U.S. Non-Final Office Action—U.S. Appl. No. 14/671,602

Mar. 22, 2019—U.S. Non-Final Office Action—U.S. Appl. No. 13/587,630

Mar. 20, 2019—U.S. Final Office Action—U.S. Appl. No. 14/063,570. Jul. 30, 2019—U.S. Non-Final Office Action—U.S. Appl. No.

Aug. 29, 2019—U.S. Non-Final Office Action—U.S. Appl. No. 16/450.270

Sep. 30, 2019—U.S. Final Office Action—U.S. Appl. No. 14/671,602. Oct. 4, 2019—U.S. Final Office Action—U.S. Appl. No. 15/374,278. Oct. 18, 2019—U.S. Notice of Allowance—U.S. Appl. No. 14/671,617. Feb. 27, 2013 U.S. Office Action—U.S. Appl. No. 13/587,620.

Jun. 25, 2013 U.S. Office Action—U.S. Appl. No. 13/587,635. Aug. 8, 2013—U.S. Office Action—U.S. Appl. No. 13/933,576.

Sep. 23, 2013 U.S. Final Office Action—U.S. Appl. No. 13/587,635. Sep. 30, 2013 U.S. Office Action—U.S. Appl. No. 13/587,630.

Dec. 26, 2013—U.S. Office Action—U.S. Appl. No. 13/933,576. Jan. 23, 2014 U.S. Office Action—U.S. Appl. No. 13/834,210.

Feb. 26, 2014 U.S. Office Action-U.S. Appl. No. 13/834,170.

Feb. 26, 2014 U.S. Office Action—U.S. Appl. No. 14/063,517.

Mar. 26, 2014 U.S. Office Action U.S. Appl. No. 13/834,193. Apr. 9, 2014 U.S. Office Action U.S. Appl. No. 14/063,570.

Apr. 9, 2014 U.S. Office Action U.S. Appl. No. 14/063,533.

May 6, 2014 U.S. Office Action U.S. Appl. No. 13/892,598. May 19, 2014—U.S. Office Action—U.S. Appl. No. 13/834,161. Aug. 21, 2014—U.S. Non-Final Office Action—U.S. Appl. No. 14/063,517

Aug. 22, 2014—U.S. Non-Final Office Action—U.S. Appl. No. 13/834,170

Aug. 25, 2014—U.S. Non-Final Office Action—U.S. Appl. No. 13/834,210

Oct. 30, 2014-U.S. Non-Final Office Action-U.S. Appl. No. 13/834,193.

Nov. 18, 2014—U.S. Final Office Action—U.S. Appl. No. 13/892,598. Nov. 20, 2014—U.S. Non-Final Office Action—U.S. Appl. No. 14/063,533

Nov. 20, 2014—U.S. Non-Final Office Action—U.S. Appl. No. 14/063,570.

Dec. 3, 2014 U.S. Non-Final Office Action-U.S. Appl. No. 14/076,473. Dec. 4, 2014—U.S. Office Action—U.S. Appl. No. 13/834,161. Jan. 13, 2015 U.S. Non-Final Office Action-U.S. Appl. No. 13/587.635

Jan. 20, 2015 U.S. Non-Final Office Action-U.S. Appl. No. 13/933,576.

Mar. 4, 2015 U.S. Final Office Action—U.S. Appl. No. 14/063,517. Mar. 13, 2015 U.S. Final Office Action—U.S. Appl. No. 13/834,170. Mar. 13, 2015 U.S. Office Action—U.S. Appl. No. 13/834,161.

Apr. 23, 2014—U.S. Office Action—U.S. Appl. No. 13/587,635.

Dec. 3, 2013—U.S. Office Action—U.S. Appl. No. 13/834,161. Mar. 16, 2015 U.S. Final Office Action—U.S. Appl. No. 13/834,210. Apr. 29, 2015 U.S. Final Office Action—U.S. Appl. No. 13/834,193. Apr. 30, 2015 U.S. Final Office Action—U.S. Appl. No. 14/063,570. May 12, 2015 U.S. Final Office Action—U.S. Appl. No. 13/933,576. May 8, 2015 U.S. Final Office Action—U.S. Appl. No. 14/063,533. May 6, 2015 U.S. Final Office Action—U.S. Appl. No. 14/076,473.

Jun. 3, 2015—U.S. Office Action—U.S. Appl. No. 14/671,617. May 20, 2015 U.S. Non-Final Office Action-U.S. Appl. No.

13/892,598.

13/892,598

(56) References Cited

OTHER PUBLICATIONS

- May 18, 2015—U.S. Non-Final Office Action—U.S. Appl. No. 14/269.387.
- May 14, 2015—U.S. Non-Final Office Action—U.S. Appl. No. 14/671,602.
- Jul. 27, 2015—U.S. Final Office Action—U.S. Appl. No. 13/587,635. Aug. 11, 2015—U.S. Non-Final Office Action—U.S. Appl. No. 14/076,473.
- Aug. 13, 2015—U.S. Non-Final Office Action—U.S. Appl. No. 14/190,976.
- Feb. 5, 2015—U.S. Final Office Action—U.S. Appl. No. 13/587,630. Aug. 21, 2014 U.S. Non-Final Office Action—U.S. Appl. No. 13/587,630.
- Aug. 21, 2014 U.S. Final Office Action—U.S. Appl. No. 13/587,635. Aug. 12, 2015—U.S. Final Office Action—U.S. Appl. No. 14/269,387. Sep. 23, 2015—U.S. Final Office Action—U.S. Appl. No. 14/671,602. Nov. 12, 2015—U.S. Response to Non-Final Office Action—U.S. Appl. No. 14/190,976.
- Aug. 31, 2015—U.S. Response to Non-Final Office Action—U.S. Appl. No. 14/671,617.
- Nov. 11, 2015—U.S. Response to Non-Final Office Action—U.S. Appl. No. 14/076,473.
- Dec. 3, 2015—U.S. Office Action—U.S. Appl. No. 14/671,617. Jan. 22, 2016—U.S. Final Office Action—U.S. Appl. No. 14/190,976.
- Dec. 1, 2015 U.S. Final Office Action—U.S. Appl. No. 13/892,598. Oct. 30, 2015 U.S. Non-Final Office Action—U.S. Appl. No. 13/587,635.
- Feb. 12, 2016—U.S. Non-Final Office Action—U.S. Appl. No. 14/341,043.
- Feb. 16, 2016—U.S. Non-Final Office Action—U.S. Appl. No. 14/341,139.
- Mar. 1, 2016—U.S. Final Office Action—U.S. Appl. No. 14/076,473. Apr. 25, 2016—U.S. Non-Final Office Action—U.S. Appl. No. 13/587,630.
- Apr. 5, 2016—U.S. Non-Final Office Action—U.S. Appl. No. 13/892,598.
- May 23, 2016—U.S. Non-Final Office Action—U.S. Appl. No. 14/190,976.
- Jun. 1, 2016—U.S. Non-Final Office Action—U.S. Appl. No. 13/587,635.
- Feb. 23, 2016—U.S. Final Office Action—U.S. Appl. No. 13/587,635. Jun. 13, 2016—U.S. Non-Final Office Action—U.S. Appl. No. 14/076,473.
- Jun. 17, 2016—U.S. Non-Final Office Action—U.S. Appl. No. 14/063,517.
- Jul. 29, 2016—U.S. Non-Final Office Action—U.S. Appl. No. 13/834,170.
- Aug. 1, 2016—U.S. Office Action—U.S. Appl. No. 13/834,161.Aug. 3, 2016—U.S. Non-Final Office Action—U.S. Appl. No. 14/671,602.
- Jul. 12, 2016—U.S. Final Office Action—U.S. Appl. No. 13/587,630.
 Aug. 29, 2016—U.S. Non-Final Office Action—U.S. Appl. No. 13/834,210.
- Sep. 15, 2016—U.S. Final Office Action—U.S. Appl. No. 14/063,517. Sep. 29, 2016—U.S. Final Office Action—U.S. Appl. No. 13/587,635.
- Oct. 13, 2016—U.S. Final Office Action—U.S. Appl. No. 13/834,161.
- Oct. 13, 2016—U.S. Office Action—U.S. Appl. No. 13/933,576.
- Oct. 17, 2016—U.S. Final Office Action—U.S. Appl. No. 13/892,598.
- Oct. 18, 2016—U.S. Office Action—U.S. Appl. No. 14/671,602. Oct. 21, 2016—U.S. Non-Final Office Action—U.S. Appl. No.
- 14/063,570.
 Oct. 24, 2016—U.S. Non-Final Office Action—U.S. Appl. No. 13/834,193.
- Nov. 4, 2016—U.S. Final Office Action—U.S. Appl. No. 13/834,170. Nov. 10, 2016—U.S. Non-Final Office Action—U.S. Appl. No. 14/063,533.
- Nov. 25, 2016—U.S. Non-Final Office Action—U.S. Appl. No. 14/671,617.
- Dec. 2, 2016—U.S. Final Office Action—U.S. Appl. No. 13/834,210. Dec. 2, 2016—U.S. Final Office Action—U.S. Appl. No. 14/190,976.

- Dec. 2, 2016—U.S. Non-Final Office Action—U.S. Appl. No. 14/269,387.
- Oct. 18, 2016—U.S. Final Office Action—U.S. Appl. No. 14/671,602. Feb. 7, 2017—U.S. Non-Final Office Action—U.S. Appl. No. 13/587.635.
- Mar. 13, 2017—U.S. Final Office Action—U.S. Appl. No. 14/269,387. Mar. 29, 2017—U.S. Final Office Action—U.S. Appl. No. 13/834,193. Mar. 30, 2017—U.S. Final Office Action—U.S. Appl. No. 14/063,533. Mar. 31, 2017—U.S. Final Office Action—U.S. Appl. No. 14/063,570. Apr. 6, 2017—U.S. Final Office Action—U.S. Appl. No. 13/933,576. Apr. 5, 2017—U.S. Non-Final Office Action—U.S. Appl. No.
- May 9, 2017—U.S. Non-Final Office Action—U.S. Appl. No. 13/587,630.
- May 16, 2017—U.S. Non-Final Office Action—U.S. Appl. No. 14/671.602.
- Nov. 18, 2019—U.S. Notice of Allowance—U.S. Appl. No. 14/063,517. Nov. 18, 2019—U.S. Notice of Allowance—U.S. Appl. No. 14/063,570. Dec. 3, 2019—U.S. Non-Final Office Action—U.S. Appl. No. 14/269,387.
- Dec. 5, 2019—U.S. Final Office Action—U.S. Appl. No. 15/855,057. Jan. 29, 2020—U.S. Notice of Allowance—U.S. Appl. No. 14/458,826. Mar. 22, 2019—U.S. Non-Final Office Action—U.S. Appl. No. 14/063,517.
- Mar. 22, 2019—U.S. Non-Final Office Action—U.S. Appl. No. 14/671 617
- Mar. 20, 2019—U.S. Final Office Action—U.S. Appl. No. 13/834,210. Apr. 12, 2019—U.S. Final Office Action—U.S. Appl. No. 13/933,576. May 3, 2019—U.S. Final Office Action—U.S. Appl. No. 15/184,580. May 15, 2019—U.S. Notice of Allowance and Fees Due—U.S. Appl. No. 16/892,598.
- May 20, 2019—U.S. Notice of Allowance and Fees Due—U.S. Appl. No. 13/587,635.
- May 17, 2019—U.S. Non-Final Office Action—U.S. Appl. No. 15/374,278.
- May 20, 2020—U.S. Notice of Allowance—U.S. Appl. No. 13/834,161. Jun. 11, 2020—Notice of Allowance—U.S. Appl. No. 16/570,421. Jun. 12, 2020—U.S. Notice of Allowance—U.S. Appl. No. 15/855,057. Feb. 19, 2020—U.S. Non-Final Office Action—U.S. Appl. No. 14/671 602
- Feb. 27, 2020—U.S. Final Office Action—U.S. Appl. No. 16/450,270. Apr. 13, 2020—U.S. Final Office Action—U.S. Appl. No. 14/269,387. Download our pocket agent app for iPhone today; retrieved from https://www.statefarm.com/about-us/innovation-research/mobile-apps/pocket-agent-for-iphone/; Copyright, State Farm Mutual Automobile Insurance Company, 2013.
- Security First Mobile, downloaded from http://www.securityfirstflorida.com/security-first-mobile/, Copyright 2014 Security First Insurance Company
- Get the Nationwide Mobile App for Android and iPhone, downloaded from http://www.nationwide.com/mobile-support.isp, 2014 Nationwide Mutual Insurance Company amd Affilialted Companies. Welcome to USAA! To get started, please enable cookies, downloaded from https://www.usaa.com/inet/pages/mobile_access_methods_mobileapps?akredirect=true, 2013 USAA.
- Farmers iClaim, downloaded from http://www.farmers.com/iclaim. html, 2014 Farmers Insurance Company.
- Imaging Technology Saves the Day for Insurance Claim Processing; downloaded from www.snowbound.com/resources/articles/business-benefits-industry-information/imaging-technology-saves-day-insurance; 2013 Snowbound Software.
- "How Can We Stop Insurers Writing Estimates from Photos", Angelo DiTullio, Babcox Media, Inc., BodyShop Business 35.4: 48(2), Apr. 2016.
- Applying Image Analysis to Auto Insurance Triage: A Novel Application, Institute of Electrical and Electronics Engineers, Ying Li and Chitra Dorai, MMSP 2007 Proceedings, Chania, Crete, Greece, Oct. 1-3, 2007, pp. 280-283, Year: 2007.
- "Stereoscopic Imaging", https://www.Techopedia.com/definition/91/stereoscopic-imaging, retrieved on Apr. 7, 2019, Year 2019.

(56) References Cited

OTHER PUBLICATIONS

Mort, et al., "Marketing m-services: Establishing a Usage Benefit Typology Related to Mobile User Characteristics," Jul. 2005, Journal of Database Martketing & Customer Strategy Management, vol. 12, Issue 4, pp. 327-341.

Jul. 16, 2020—U.S. Non-Final Office Action—U.S. Appl. No. 15/374,278.

Aug. 19, 2020—U.S. Notice of Allowance—U.S. Appl. No. 14/671,602. Nov. 10, 2020—U.S. Non-Final Office Action—U.S. Appl. No. 16/450,270.

Nov. 13, 2020—U.S. Final Office Action—U.S. Appl. No. 14/269,387. Nov. 27, 2020—U.S. Non-Final Office Action—U.S. Appl. No. 17/026.598.

Nov. 30, 2020—U.S. Notice of Allowance—U.S. Appl. No. 16/995,003. Dec. 11, 2020—U.S. Final Office Action—U.S. Appl. No. 15/374,278. U.S. Notice of Allowance on U.S. Appl. No. 16/748,206 dated Mar. 4, 2021

U.S. Notice of Allowance on U.S. Appl. No. 16/995,003 dated Apr. 7, 2021.

 $U.S.\ Notice$ of Allowance on $U.S.\ Appl.\ No.\ 17/026,598$ dated Mar. 19, 2021.

U.S. Office Action on U.S. Appl. No. 13/834,210 dated Apr. 29, 2021.

International Search Report & Written Opinion for PCT/US2020/052698 dated Jan. 28, 2021, 8 pages.

U.S. Office Action for U.S. Appl. No. 14/269,387 dated Jun. 25, 2021,2 1 pages.

U.S. Office Action for U.S. Appl. No. 16/450,270 dated May 5, 2021, 14 pages.

U.S. Office Action on U.S. Appl. No. 17/008,079 dated Sep. 15, 2021, 10 pages.

Notice of Allowance on U.S. Appl. No. 17/026,598 dated Oct. 1, 2021, 7 pages.

Notice of Allowance on U.S. Appl. No. 16/748,206 dated Feb. 4, 2022.

Office Action on U.S. Appl. No. 14/269,387 dated Oct. 26, 2021, 26 pages.

 $\widehat{\text{Office}}$ Action on U.S. Appl. No. 15/374,278 dated Oct. 15, 2021, 20 pages.

Office Action on U.S. Appl. No. 16/450,270 dated Dec. 7, 2021, 17 pages.

Final Office Action for U.S. Appl. No. 13/834,210 dated Apr. 1, 2022, 17 pages.

Final Office Action on U.S. Appl. No. 15/374,278 dated Feb. 15, 2022, 19 pages.

Notice of Allowance for U.S. Appl. No. 17/026,598 dated Mar. 28, 2022, 6 pages.

Notice of Allowance on U.S. Appl. No. 16/995,003 dated Feb. 17, 2022, 5 pages.

Notice of Allowance on U.S. Appl. No. 17/008,079 dated Feb. 22, 2022, 11 pages.

Office Action for U.S. Appl. No. 14/269,387 dated Apr. 14,2022,20 pages.

Phillips, "Image Processing in C," R&D Publications, Second Edition, pp. 47-275 (2000).

Final Office Action on U.S. Appl. No. 16/450,270 dated Jul. 15, 2022, 11 pages.

Notice of Allowance on U.S. Appl. No. 14/269,387 dated Aug. 10, 2022, 11 pages.

Notice of Allowance on U.S. Appl. No. 15/374,278 dated Jul. 27, 2022, 10 pages.

* cited by examiner




FIG. 1




FIG. 2






FIG. 3










FIG. 5a (continued)









FIG. 6 (continued)









FIG. 7 (continued)












FIG. 10

1100 Server receives data related to damage of an insured item (1101) Server transmits the data to a third party entity (1103) Server receives request for additional data (1105) Server transmits request for additional data to user device (1107) Server receives additional data related to damage of insured item (1109)

FIG. 11

Server forwards additional data to third party entity (1111)









FIG. 13









FIG. 14



3

DAMAGED AREAS >









FIG. 16





1703-




FIG. 17





FIG. 18

1901 -



1903 -





FIG. 19

2001 -



2003 -




FIG. 20




FIG. 21

PROCESSING INSURED ITEMS HOLISTICALLY WITH MOBILE DAMAGE ASSESSMENT AND CLAIMS PROCESSING

CROSS-REFERENCE TO RELATED-APPLICATIONS

This application is a continuation-in-part of U.S. patent application Ser. No. 13/587,635, filed Aug. 16, 2012, now U.S. Pat. No. 10,430,885, and is a continuation of U.S. patent application Ser. No. 13/834,161, filed Mar. 15, 2013, now U.S. Pat. No. 10,783,585, which is a continuation-in-part of U.S. patent application Ser. No. 13/587,620, filed Aug. 16, 2012, now U.S. Pat. No. 8,510,196, U.S. patent application Ser. No. 13/587,630, filed Aug. 16, 2012, now abandoned, and U.S. patent application Ser. No. 13/587,635, filed Aug. 16, 2012, now U.S. Pat. No. 10,430,885. All of the aforementioned applications are herein incorporated by reference in their entirety.

TECHNICAL FIELD

The present disclosure relates to systems and methods for analyzing damage to an item for insurance purposes.

BACKGROUND

Conventional insurance claims processing is a complex process that starts with a first notification of loss related to 30 an insured item. Upon notification of loss, the claim may be routed to multiple claims adjusters that analyze different aspects of the damage associated with the insured item in order to determine whether compensation for the loss is appropriate.

In general, conventional claims adjustment can involve paperwork processing, telephone calls, and potentially face-to-face meetings between claimant and adjuster. In addition, a significant amount of time can elapse between a first notice of loss from the claimant and the final settlement of the claim.

In addition, while consumers may take advantage of conventional claims processing to determine if they will receive any compensation for loss associated with an item, consumers have traditionally had very few options for obtaining advice associated with loss prior to submission of an insurance claim.

FIG. 3 shows a sessessment process present disclosure. FIG. 4 shows a session of when a user starts a ing application story.

SUMMARY

The following presents a simplified summary of the present disclosure in order to provide a basic understanding of some aspects of the disclosure. This summary is not an extensive overview of the disclosure. It is not intended to 55 identify key or critical elements of the disclosure or to delineate the scope of the disclosure. The following summary merely presents some concepts of the disclosure in a simplified form as a prelude to the more detailed description provided below.

Aspects of the disclosure involve a streamlined and efficient process for claims management and disclose methods, computer-readable media, and apparatuses for automating the processing and settling of claims related to an insured item. A mobile device may transmit data (e.g., images, 65 video, etc.) related to damage associated with an insured item to an enhanced claims processing server. The enhanced

2

claims processing server may manage analysis of damage associated with the insured item and settlement of a claim related to the damage.

In another aspect of the disclosure, an enhanced claims processing server may analyze damage data received from a mobile device to generate a repair cost estimate for repairing the insured item.

In another aspect of the disclosure, an enhanced claims processing server may receive damage data associated with damage to an insured item, prior to submission of a claim for the damage. This data may be analyzed along with other data related to terms of an insurance policy that insures the insured item to provide advice to insurance consumers on the overall monetary valuation of submitting an insurance claim for damage to the insured item.

In another aspect of the disclosure, a user device may be used as a portal that enables a third party entity such as a repair agency to view and learn more about damage associated with an insured item while the damage is still being assessed through a claims adjustment process.

Further aspects of the disclosure may be provided in a computer-readable medium having computer-executable instructions that, when executed, cause a computer, user terminal, or other apparatus to at least perform one or more of the processes described herein.

BRIEF DESCRIPTION OF THE DRAWINGS

All descriptions are exemplary and explanatory only and are not intended to restrict the disclosure, as claimed. The accompanying drawings, which are incorporated in and constitute a part of this specification, illustrate embodiments of the disclosure and, together with the description, serve to explain the principles of the disclosure. In the drawings:

FIG. 1 shows an illustrative operating environment in which various aspects of the disclosure may be implemented

FIG. 2 shows a system of network devices and servers that may be used to implement the processes and functions of certain aspects of the present disclosure.

FIG. 3 shows a flow chart for an automated damage assessment process in accordance with certain aspects of the present disclosure.

FIG. 4 shows a series of initial display screens displayed when a user starts a damage assessment and claims processing application stored on a mobile device in accordance with certain aspects of the present disclosure.

FIG. 5a shows a first series of display screens displayed on a mobile device as a user takes photos of a damaged vehicle in accordance with certain aspects of the present disclosure.

FIG. 5b shows a second series of display screens displayed on a mobile device as a user takes photos of a damaged vehicle in accordance with certain aspects of the present disclosure.

FIG. 6 shows a series of display screens displayed on a mobile device for enabling a user to delete photos that have already been taken in accordance with certain aspects of the present disclosure.

FIG. 7 shows a series of display screens displayed on a mobile device for enabling a user to submit photos for review by an enhanced claims processing server, in accordance with certain aspects of the present disclosure.

FIG. 8 shows a series of display screens displayed on a mobile device for enabling a user to receive feedback from

an enhanced claims processing server regarding previously submitted photos, in accordance with certain aspects of the present disclosure.

- FIG. 9 shows a flow chart for providing pre-claim consultations in accordance with certain aspects of the present disclosure.
- FIG. 10 shows a flow chart for providing pre-claim consultations with a third party entity in accordance with certain aspects of the present disclosure.
- FIG. 11 shows a flow chart for using a user device to allow a third party entity to learn about damage to an insured item while the damage is still being assessed through a claims adjustment process in accordance with certain aspects of the present disclosure.
- FIG. 12 shows a login screen displayed on a user device in accordance with certain aspects of the present disclosure.
- FIG. 13 shows two display screens displayed on a user device that allow a user to capture damage information associated with a new claim and/or access information 20 related to claims that have been previously submitted for claims adjustment, in accordance with certain aspects of the present disclosure.
- FIG. 14 shows two display screens displayed on a user device for displaying messages associated with a given ²⁵ claim, in accordance with certain aspects of the present disclosure.
- FIG. 15 shows a first set of two display screens displayed on a user device for providing user instructions for capturing images related to damage associated with an insured item, in accordance with certain aspects of the present disclosure.
- FIG. 16 shows two display screens that display images of damage being captured by a user device, in accordance with certain aspects of the present disclosure.
- FIG. 17 shows a second set of two display screens displayed on a user device for providing user instructions for capturing images related to damage associated with an insured item, in accordance with certain aspects of the present disclosure.
- FIG. 18 shows a display screen with visual aids for aiding a user in properly positioning an imaging device associated with a user device to capture images related to damage of an insured item, in accordance with certain aspects of the present disclosure.
- FIG. 19 shows two display screens displayed on a user device for displaying instructions related to capturing images for processing a claim associated with damage of an insured item, in accordance with certain aspects of the present disclosure.
- FIG. 20 shows two display screens displayed on a user device for reviewing images depicting damage to an insured item, as captured by an imaging device, in accordance with certain aspects of the present disclosure.
- FIG. 21 shows a display screen displayed on a user device 55 for displaying claim information associated with damage to an insured item, in accordance with certain aspects of the present disclosure.

DETAILED DESCRIPTION

In accordance with various aspects of the disclosure, methods, computer-readable media, and apparatuses are disclosed through which insurance claims may be settled through an enhanced automated process. In certain aspects, 65 when an enhanced claims processing server receives data regarding an insured item (e.g., a vehicle, etc.) from a

4

computing device (e.g., a mobile device), the server processes the data and manages settlement of a claim associated with the insured item.

The automated process may utilize various hardware components (e.g., processors, communication servers, memory devices, sensors, etc.) and related computer algorithms to generate image data related to damage associated with an insured item, determine if the image data conforms to a predetermined set of criteria, analyze the image data to assess loss associated with the insured item, and determine if a payment is appropriate to the claimant as compensation for assessed loss.

FIG. 1 illustrates a block diagram of an enhanced claims processing server 101 (e.g., a computer server) in communication system 100 that may be used according to an illustrative embodiment of the disclosure. The server 101 may have a processor 103 for controlling overall operation of the enhanced claims processing server 101 and its associated components, including RAM 105, ROM 107, input/output module 109, and memory 115.

I/O 109 may include a microphone, keypad, touch screen, and/or stylus through which a user of enhanced claims processing server 101 may provide input, and may also include one or more of a speaker for providing audio output and a video display device for providing textual, audiovisual, and/or graphical output. Software may be stored within memory 115 to provide instructions to processor 103 for enabling device 101 to perform various functions. For example, memory 115 may store software used by the device 101, such as an operating system 117, application programs 119, and an associated database 121. Processor 103 and its associated components may allow the device 101 to run a series of computer-readable instructions to analyze image data depicting damage to an insured item (e.g., vehicle, etc.). Processor 103 may determine the general location of damage associated with the vehicle by analyzing images of the vehicle and comparing these images with reference images of a similar vehicle with no damage or with similar damage. In addition, processor 103 may assess the loss associated 40 with the damaged vehicle and transmit terms for settling an insurance claim related to the loss to a user of a mobile device.

The server 101 may operate in a networked environment supporting connections to one or more remote computers, such as terminals 141 and 151. The terminals 141 and 151 may be personal computers or servers that include many or all of the elements described above relative to the server 101. Also, terminal 141 and/or 151 may be data stores for storing image data of insured items that have been analyzed by the enhanced claims processing server 101 in the past. In yet other embodiments, terminals 141 and 151 may represent mobile devices with built-in cameras for capturing image data associated with a damaged item.

The network connections depicted in FIG. 1 include a local area network (LAN) 125 and a wide area network (WAN) 129, but may also include other networks. When used in a LAN networking environment, the server 101 is connected to the LAN 125 through a network interface or adapter 123. When used in a WAN networking environment, the server 101 may include a modem 127 or other means for establishing communications over the WAN 129, such as the Internet 131. It will be appreciated that the network connections shown are illustrative and other means of establishing a communications link between the computers may be used. The existence of any of various well-known protocols such as TCP/IP, Ethernet, FTP, HTTP and the like is presumed.

Additionally, an application program 119 used by the enhanced claims processing server 101 according to an illustrative embodiment of the disclosure may include computer executable instructions for invoking functionality related to calculating an appropriate payment for assessed 5 damage associated with an insured item.

Enhanced claims processing server 101 and/or terminals **141** or **151** may also be mobile terminals including various other components, such as a battery, speaker, camera, and antennas (not shown).

The disclosure is operational with numerous other general purpose or special purpose computing system environments or configurations. Examples of well known computing systems, environments, and/or configurations that may be suitable for use with the disclosure include, but are not limited to, personal computers, server computers, hand-held or laptop devices, multiprocessor systems, microprocessorbased systems, set top boxes, programmable consumer electronics, network PCs, minicomputers, mainframe comput- 20 ers, and distributed computing environments that include any of the above systems or devices, and the like.

The disclosure may be described in the general context of computer-executable instructions, such as program modules, being executed by a computer. Generally, program modules 25 include routines, programs, objects, components, data structures, etc. that perform particular tasks or implement particular abstract data types. The disclosure may also be practiced in distributed computing environments where tasks are performed by remote processing devices that are linked through a communications network. In a distributed computing environment, program modules may be located in both local and remote computer storage media including non-transitory memory storage devices, such as a hard disk, 35 random access memory (RAM), and read only memory

Referring to FIG. 2, a system 200 for implementing methods according to the present disclosure is shown. As illustrated, system 200 may include one or more network 40 devices 201. Devices 201 may be local or remote, and are connected by one or more communications links 202 to computer network 203 that is linked via communications links 205 to enhanced claims processing server 101. In certain embodiments, network devices 201 may run different 45 algorithms used by server 101 for analyzing image data showing damage associated with an insured item, or, in other embodiments, network devices 201 may be data stores for storing reference image data of insured items. In yet other embodiments, network devices 201 may represent mobile 50 relate to an insured vehicle analyzed by enhanced claims user devices configured to capture image data (e.g., via a camera, etc.) associated with a damaged insured item and to transmit the image data to server 101. In system 200, enhanced claims processing server 101 may be any suitable server, processor, computer, or data processing device, or 55 combination of the same.

Computer network 203 may be any suitable computer network including the Internet, an intranet, a wide-area network (WAN), a local-area network (LAN), a wireless network, a digital subscriber line (DSL) network, a frame 60 relay network, an asynchronous transfer mode (ATM) network, a virtual private network (VPN), or any combination of any of the same. Communications links 202 and 205 may be any communications links suitable for communicating between network devices 201 and server 101, such as 65 network links, dial-up links, wireless links, hard-wired links,

The steps that follow in the Figures may be implemented by one or more of the components in FIGS. 1 and 2 and/or other components, including other computing devices.

In accordance with aspects of the disclosure, a user (e.g., a claimant) of a mobile device (e.g., mobile phone, personal digital assistant (PDA), etc.) may take a variety of photos associated with damage to an insured vehicle. The photos may include wide shots of the damaged vehicle, pictures of an identification number associated with the damaged vehicle (e.g., a vehicle identification number (VIN), etc.), current odometer reading, and/or multiple angles/close-up shots of the damage associated with the insured vehicle.

Once the user is satisfied that the appropriate photos have been taken, the user may transmit the photos to an enhanced claims processing server 101. The enhanced claims processing server 101 may be configured to receive and analyze the photos to determine if they meet a predefined set of criteria (e.g., not too blurry, correct angles, etc.) for completeness, accuracy, etc. If the photos do not meet the minimum criteria, server 101 may transmit a message (e.g., via a feedback loop), informing the mobile device that alternative and/or additional photos must be taken. This process of assuring that the photos are compliant for further analysis may be repeated until the user of device 201 has complied with all of the rules set forth by enhanced claims processing server 101. Server 101 may then analyze the photos to generate an output, including a cost estimate to repair the damage associated with the insured vehicle and/or to replace a damaged part of the insured vehicle. In some aspects, to generate this output, server 101 may analyze the photos and determine the location of damage (e.g., exterior parts, etc.), extent of damage, and/or the cost of parts/labor to fix the damage.

In some instances, depending on the amount of damage to the insured vehicle, the cost estimate may represent the cost of replacing the insured vehicle itself. Along with the cost estimate for repair/replacement of the insured vehicle, server 101 may also output various claims documents, including disclosures, brochures, guarantees, etc. If appropriate, server 101 may transmit a payment to the user and/or to an account associated with the user, for the cost of repairing the damage or replacing a part. In addition, server 101 may inform the user approximately how long it will take to repair/replace the insured vehicle.

In some aspects, damage inspection and appraisal in the automated claims processing scheme discussed herein may be completed in thirty minutes or less.

Although embodiments of the disclosure discussed herein processing server 101, one of ordinary skill in the art would recognize that other types of insured items, including homes, may be employed with a similar scheme.

In certain aspects, the use of server 101 may aid in cutting down time between a first notice of loss and settlement of the claim (e.g., real-time settlement of a claim) associated with the loss (e.g., via a payment and/or information regarding repair/replacement of an insured item). In addition, because the methods discussed herein are automated and allow claims adjusters to inspect damages remotely or reduce the involvement of claims adjusters, less time and money may be spent to transport these adjusters to inspection locations. The automated nature of this process may also create the opportunity for remote human inspections of damage associated with insured items.

Also, the technologies used in the claims adjustment processes implemented by server 101 may aid in attracting

technology savvy consumers to an entity (e.g., an insurance company) managing server 101.

FIG. 3 shows an automated damage assessment process 300 in accordance with at least one aspect of the present disclosure. In certain aspects, an application related to 5 damage assessment and claims processing may be downloaded onto a mobile device (e.g., iPadTM, iPhoneTM, AndroidTM, etc.) associated with a user (e.g., a customer of an insurance company) to facilitate one or more steps of the process in FIG. 3.

The process of FIG. 3 may start out at step 301 where a user (e.g., a customer) associated with an entity managing enhanced claims processing server 101 (e.g., insurance company) may enter a claim number (e.g., a number related to damage associated with an insured vehicle, etc.) into a 15 damage assessment and claims processing application running on a mobile device (e.g., network device 201). To generate a claim number, a claimant may contact an entity managing enhanced claims processing server 101 (e.g., an insurance company, etc.) with a first notice of loss (FNOL). 20 The claimant may contact the insurance company in any number of ways, including via agent, by phone, by email, via a company website, etc. As part of the FNOL, the claimant may provide basic identifying and/or validating information (e.g., name, age, claim number, etc.) and vehicle informa- 25 tion, including the make, model, and year of manufacture. The claimant may also provide the general areas of damage to the vehicle and any other relevant details (e.g., condition of glass, under carriage, engine, wheels, airbags, etc. associated with the vehicle). In one embodiment, this informa- 30 tion may be provided from a remote location (e.g., location of an accident, claimant's home, agent's office, etc.) using an application loaded onto a smart phone or tablet (e.g., iPadTM, iPhoneTM, AndroidTM, etc.).

The mobile device may then transmit the entered claim 35 number and related information to enhanced claims processing server 101. The process may then move to step 303 where server 101 may determine if the claim number received in step 301 is valid. If server 101 determines that the claim number is not valid, then server 101 may transmit 40 a message to the mobile device, stating that the claim number is invalid in step 305. The user may then enter another claim number (step 301).

If server 101 determines that the claim number is valid, the process may move to step 307 where server 101 may 45 send the user instructions of the types of image data (e.g., photos, video, etc.) that should be captured of damage associated with the insured vehicle. It should also be noted that in some embodiments server 101 may not receive a claim number and may proceed in providing user instructions on the types of image data that should be captured without receiving a claim number. The user may receive instructions on various types of photos/video, including photos/video of the entire vehicle, VIN door tag, current odometer reading, and/or the damaged areas. In some 55 aspects, the user may capture image data related to at least two different angles of the damage for each panel (e.g., hood, fender, door, bumper, etc.) based on an initial claim description.

When the user of the mobile device receives these instructions, the user may use a camera associated with the mobile device to take the photos and transmit these photos to the server 101. The user may be allowed to preview each photo before selecting the image. Once a photo has been selected, the image may be shown on a display associated with the 65 mobile device under a photo type (e.g., a photo of the entire vehicle, VIN door tag, current odometer reading, and/or

8

damaged area). If the user is not satisfied with any photo, the user may delete the photo by selecting it and then retake the photo. In some aspects, the user may annotate the photos (e.g., by drawing a line from one end of the dent to the other, etc.) prior to transmitting them to server 101. In yet other embodiments, server 101 may itself annotate any received photos/video.

In some embodiments, any approved photo may not be sent to server 101 until all of the images have been captured. In some aspects, server 101 may support a website interface through which photos may be uploaded by a user of a mobile device. Also, the use of multiple photos (e.g., via stereoscopic techniques), video (e.g., by walking around the vehicle to generate a complete view), and/or three-dimensional photos/video may assist in determining the depth of damage to a vehicle. In some aspects, determining the depth of damage may help in classifying the damage (e.g., a turbulent dent versus a dish dent). In addition, the degree of damage by area and depth may be automatically estimated through tools similar to ultrasound tools. Knowing the depth of damage may also assist in automatically determining the cost of repair or replacement. In addition, as the user is taking video/photos of damage associated with the insured vehicle, a claims adjuster associated with an entity managing server 101 (e.g., an insurance company) may interface with the user in real-time (e.g., via messaging, phone, email, etc.) as the photos are being sent to the adjuster and/or as the video is being streamed to the adjuster and describe to the user the photos/video that still need to be taken and/or where to place a camera as the photos/video are captured.

After server 101 receives image data transmitted from a mobile device in step 309, server 101 (or an individual/ group associated with the entity managing server 101) may determine if the photos are acceptable in step 311. For instance, server 101 may determine that the photos are too blurry and/or that the photos do not capture the correct angles to clearly show damage associated with the insured vehicle. As an example, server 101 may employ a bar code scanning mechanism and/or an optical character recognition (OCR) system for detecting the VIN from a submitted photo. In other aspects, the mobile device itself may use a bar code scanning mechanism and/or an OCR system for determining the VIN number. In this example, if the VIN cannot be detected from the photo and/or using these techniques, then the submitted photo may be deemed to be unacceptable. If server 101 determines that that the photos are not acceptable, the process may move back to step 307 where the server 101 may send the user instructions on what types of photos to take and/or what changes need to be made to the previously submitted photos. In yet other embodiments, a dispatcher associated with an entity managing server 101 (e.g., an insurance company) may determine if submitted photos are acceptable. In other embodiments, the mobile device may itself determine if any given photo is blurry and/or inaccurate and prompt the user to retake the photo. In this aspect, the application for damage assessment and claims processing running on the mobile device may have computerexecutable instructions stored within a memory of the mobile device for automatically detecting and/or rejecting a photo/video captured within a given category.

If server 101 determines that the photos are acceptable, server 101 may attach the photos to the user's claim in a database associated with server 101. Server 101 may also determine a damage estimate (e.g., an estimate for repairing and/or replacing any damaged parts) after analyzing the photos in step 313 based on predefined rules. The damage estimate may be generated by comparing the photos sub-

mitted by the mobile device with photos of similarly damaged vehicles or with photos of non-damaged vehicles of similar make/model. To perform this comparison, server 101 may access a database (e.g., network device 201) of photos of vehicles with various types of damage and/or vehicles with no damage. To initially populate the database with photos for later use, each user may be required to upload various photos of a vehicle upon purchase of the vehicle. Also, as server 101 analyzes recently submitted photos, previously uploaded photos of a given vehicle may be used to determine any pre-existing damage on the vehicle. Once database 201 includes photos/video from many cases of vehicle damage, server 101 may determine a damage estimate for a new case based on the prior cases.

Server 101 may not need to build a new damage estimate piece-by-piece for a given damaged vehicle. In this regard, server 101 (or an individual/group associated with the entity managing server 101) may generate a new damage estimate based on a holistic view of a damaged vehicle. Over time, 20 server 101 may build a database (e.g., network device 201) of specific damage templates (e.g., damages to more than one part of a vehicle that are commonly associated with one another) and estimated/actual costs for repairing damages associated with these templates. Once this database has been 25 built, damage estimates associated with subsequently analyzed vehicles may be generated from a holistic view of the vehicles by accessing information within the historical database.

For instance, if a first type of damage to the front bumper of a vehicle is commonly associated with a second type of damage to the headlights of the same vehicle and this damage template is associated with a predetermined repair cost in the database, server 101 may use this repair cost to generate a new estimate for subsequent vehicles that exhibit damage similar to this damage template.

In one example, the damage estimates retrieved from the historical database may be adjusted based on differences associated with a current case. For instance, the damage 40 estimate may be adjusted based on the average inflation rate (e.g., for parts, labor, etc.) between the date at which the damage estimate within the historical database was generated and the current date. In other embodiments, the damage estimate may be adjusted for small differences such as the 45 make, model, and year of manufacture when the vehicle in the historical database and the currently analyzed vehicle are compared. Similarly, the damage estimate may be adjusted based on differences in the precise damage associated with the vehicle in the historical database and the damage asso- 50 ciated with the vehicle currently being analyzed. In yet other examples, the damage estimate may be adjusted based on the terms of an insurance policy that covers damage to the insured vehicle currently being analyzed. One of ordinary skill in the art would understand that any number of factors 55 may be considered when adjusting the damage estimate retrieved for vehicles stored in the historical database to more accurately reflect a damage estimate for a currently

In other aspects, when a vehicle exhibits more than one 60 type of damage, server 101 may access the historical database multiple times (one for each type of damage) and then add one or more interaction terms to the sum of the cost estimates for each type of damage. For instance, extending the example above of damage to a front bumper and to the 65 headlights of a vehicle, server 101 may generate a first damage estimate for repairing the front bumper and a second

10

damage estimate for repairing the headlights. Server 101 may then add these two damage estimates to generate a total damage estimate.

In this embodiment, server 101 may also calculate an interaction term (which may be a positive or a negative value) that represents either an increased (e.g., because the damages taken collectively introduce more complexity and are thus more expensive to repair than if handled individually) or decreased (e.g., because the damages taken collectively have overlapping repair procedures and are thus less expensive to repair than if handled individually) cost of repairing the vehicle when both of these types of damages occur together. The effective total damage estimate may then be the sum of the total damage estimate and the interaction term.

One of ordinary skill in the art would understand that a given damage template may be built based on any number of specific damage types/locations. In addition, server 101 may generate any number of interaction terms for a given analysis. For instance, if a damage estimate is based on damage to three parts of a vehicle, server 101 may generate interaction terms that relate to increased/decreased cost associated with repair to the following part groups: the first two parts, the first and third parts, the second and third parts, and all three parts at once. In other embodiments, server 101 may generate an interaction term for only some of the damaged parts.

In certain aspects, server 101 may also query the claimant with regards to the type of third party service provider (e.g., repair shop, etc.) they would prefer after damage analysis and claims processing is complete.

In other aspects, exterior damage associated with the vehicle may be used to predict (e.g., via predictive modeling using the database of past assessed exterior/interior damage for other similar cases, etc.) the likelihood of interior (e.g., mechanical, cabin, etc.) damage to the vehicle and/or potential difficulties in repairing the vehicle.

Once the image data has been analyzed, server 101 may include computer-executable instructions to recognize the extent of damage to various parts of the vehicle (e.g., chassis, etc.), including various types of dents and edge damage, and to identify various parts of the vehicle.

In some aspects, the detection of damage to the vehicle may be based on object recognition algorithms that compare images (e.g., comparing x, y, and z coordinates of each point on the images) of the vehicle in question to reference images of similar vehicles (e.g., same model, make, year of manufacture, etc.) with no damage. More specifically, server 101 may access a database of images storing the reference images of vehicles of various models and makes. By using object recognition/edge detection algorithms (e.g., involving blur filters, gray-scaling, custom algorithms, etc.), server 101 may determine where damage is located as well as the potential size/area of the damage. Server 101 may also access internal/external databases storing images, damage depth map information (e.g., from previously assessed analyses, etc.), and/or processed claims reports from damaged vehicles that server 101 has assessed previously. In particular, server 101 may access images/depth map information from previously assessed damaged vehicles for use as a guidepost in assessing the damage of a new vehicle. If no reference information (e.g., data, images) exists, axis symmetry information may also be used to identify possible irregularities and/or damage.

In some aspects, the algorithm employed by server 101 may use a comparison of an image of a damaged vehicle with an image of an undamaged version of the same vehicle

to "subtract out" and isolate the damaged area of a vehicle. If an exact replica of an undamaged vehicle corresponding to a damaged vehicle under study is not available for this comparison, server 101 may further use various additional image processing algorithms, including blurring filters, etc. 5 to detect a damaged portion of a vehicle.

In additional aspects, server 101 may grayscale all image data to make processing faster. Further, edge filters may be applied to both the image data from the damaged vehicle and its corresponding reference image data so that the edges of a damaged area may be "subtracted out" and identified in the image data of the damaged vehicle. Once the damaged area has been identified in the image data, server 101 may further process the damaged area to sharpen the area, to make the edges more prominent, and to fill any missing links found in the edges. Afterwards, server 101 may color, texture, and/or otherwise "fill in" the damaged area surrounded by the edges and extract the damaged area from the surrounding image data. Once the damaged area has been isolated, server 101 may calculate the precise area of the damage.

Similarly, server 101 may determine the depth of a damaged area (e.g., via stereoscopic methods, etc.) and may analyze raw depth data to further investigate points of interest (e.g., a point that has a much larger depth than surrounding points, etc.). Using this analysis, the damaged 25 area may be further characterized (e.g., a dented area may be detected and if, for example, the general slope of the dent is high, the dent may be characterized as deep and rounded whereas if the slope is low, the dent may be characterized as shallow)

In addition, if the server 101 retrieves image data or claims reports associated with a similar or the same previously analyzed vehicle that has similar or the same types of damage (e.g., as a result of a similar accident to a similar vehicle or part, etc.) as a vehicle currently being analyzed, 35 server 101 may use a damage analysis or cost estimate of identifying/repairing the damage or replacing a damaged part of the previously analyzed vehicle to generate a damage analysis/cost estimate for the currently analyzed vehicle. In other words, server 101 may perform one or more database 40 queries to match characteristics of the current analysis with previous analyses. For instance, the queries may seek to match the size, depth, and location of a dent on a current vehicle with a similar dent on a vehicle with a similar chassis configuration, make, model, and year of manufacture. For 45 instance, consider a case where the vehicle in question is a new model that has not been analyzed before by server 101. In this scenario, server 101 may attempt to match the vehicle currently being analyzed with its closest match, which in this case may be a similar model from the previous year with the 50 same chassis configuration (e.g., a twin chassis configura-

In matching a vehicle currently being analyzed with one that has been previously analyzed, server 101 may assign a confidence factor to the match. Server 101 may assign the 55 highest confidence factor (e.g., a confidence factor of 100%) to a comparison between the exact same types of vehicles (e.g., cars of the same make, model, year of manufacture, etc.) having the exact same type of damage (e.g., a predetermined type of dent, etc.). For instance, a comparison 60 between vehicles with two completely different types of damage would have a confidence factor of 0%. As the similarities between the currently analyzed vehicle and previously analyzed vehicles are reduced, server 101 may assign a lower confidence factor to the comparison. For 65 instance, output drawn from comparisons between vehicles of the same make and model but with different years of

12

manufacture may be associated with a slightly lower confidence factor than 100%. In some aspects, confidence factors may decrease further when vehicles of different models and years of manufacture (e.g., vehicles with different chassis configurations, trim line configurations, etc.) but the same make are compared. In one embodiment, server 101 may assign a threshold confidence factor (e.g., 70%, etc.) below which output generated by a comparison performed by server 101 may not be considered reliable. If the confidence factor associated with a comparison between two vehicles falls below this threshold and there is no reliable comparison within the database, server 101 may then use physical details of the damage (e.g., size, location, area, etc.) to provide output such as a cost estimate for damage repair/replacement and/or the amount of time required for repair/replacement.

Server 101 may also use stored data to determine appropriate vendors for repair/replacing the vehicle and the amount of time for repair/replacement. The wait time for repair/replacement may depend on various factors, including the size (e.g., area, depth, etc.), classification (e.g., turbulent dent, etc.), and location of the damage.

In addition, server 101 may determine if parts nearby to damaged parts may also need to be blended into the damaged area. In other words, if a part of the vehicle needs to be refinished (e.g., repainted) either because it is being replaced or repaired, parts within a predetermined distance of the repaired/replaced part may need to be blended (e.g., color-matched) to the repaired/replaced part.

In some aspects, server 101 may acquire the knowledge of all previous claims processed by server 101, as well as the knowledge of human adjusters, to accurately process future claims. In this way, server 101 may use machine learning to evolve its cost and/or repair estimation procedure based on past experience.

To estimate the cost and repair/replacement time associated with the damage to the vehicle and to determine whether to suggest that the vehicle be replaced or repaired, server 101 may also consider the extent/severity of the damage (area, depth, location, classification, etc.). For instance, damage to a character line (e.g., edge of a door associated with the vehicle) would be more difficult (e.g., more expensive and/or more time-consuming, etc.) to repair than damage to a more central location on the vehicle. Server 101 may also consider the actual cash value and the salvage value of the vehicle and any relevant local, state, and national laws in this analysis. In some aspects, server 101 may generate a rough cost estimate of repairing the damage just based on the extent of the damage; then server 101 may refine this estimate by analyzing previous cost estimates provided by server 101 and/or actual repair data received from third party service providers (e.g., repair shops, etc.) that have repaired similar vehicles with similar damage. In additional aspects, server 101 may generate a basic cost estimate by taking into account factors such as the number of hours predicted for the repair, the labor rate, and the current market conditions. In this aspect, server 101 may compare this basic cost estimate with the cost of merely replacing the vehicle (e.g., a total loss) or the damaged part within the vehicle and based on the comparison, server 101 may suggest the cheaper option. These estimates may also be transmitted to existing platforms (e.g., Audatex®, Mitchell®, etc.) for comparison purposes.

If the analyzed damage to the vehicle is different from the damage indicated by the claimant during the FNOL, server 101 may query the claimant as to the discrepancy. For instance, if the claimant initially provided information relat-

ing to damage on the left side of the vehicle but server 101 discovers that the primary damage occurred on the right side, server 101 may question the claimant as to when the damage occurred (e.g., was the damage due to a previous incident or preexisting condition?, is the claimant being 5 truthful?, etc.). Server 101 may also ask the claimant to sign a statement as to the truth of the information provided. The claimant may have the option of answering the questions as they come up or the questions may be queued until the server 101 has finished processing the image analysis of the 10 vehicle. If discrepancies between the claimant's answers and the analyzed damage to the vehicle continue to exist, server 101 may request the involvement of a human claims adjuster.

In other embodiments, a technician associated with an 15 entity managing server 101 (e.g., an insurance company) may analyze the photos to determine a damage estimate. Also, in certain aspects, the process discussed herein may allow a user to upload photos/video that fall into alternative and/or additional categories (e.g., photos for each vehicle 20

As part of the image/video damage analysis, server 101 may ask the user to compare damage associated with the insured vehicle to damage depicted in a series of photos/ video sent by server 101. In other embodiments, server 101 25 may request that the user classify the type of damage associated with the insured vehicle. For instance, server 101 may ask the user questions such as, "Does the damage to your vehicle look more like the damage shown in photo A or photo B?" Server 101 may ask any number of questions 30 until server 101 has reached a clear understanding of all the damage to the insured vehicle and a damage estimate can be calculated. In some ways, this process may allow the user to estimate the damage to the insured vehicle.

As an example, consider a scenario where a driver's side 35 door is dented and the driver's side window is cracked in a four-door sedan. Assume that the damage is centrally located on the driver's side window and door. Once server 101 receives a valid claim number related to this damaged sedan, server 101 may transmit, to a user device, one or more 40 images depicting various types of damage to the driver's side window and door of four-door sedans that have been previously analyzed and/or stored in memory. The first image or images transmitted to the user device may be based on previously submitted information regarding an accident 45 that caused the damage or any other type of input provided by a claimant and/or related parties. Thus, the first image or images transmitted to the user device may not depict damage that precisely conforms to the damage of the sedan currently being analyzed. For instance, if two images are initially 50 step 321 where server 101 may transfer any funds related to transmitted to the user device, one of the images may depict damage to the corner of the driver's side window and door and the other image may depict damage that is located closer to the center. In this scenario, a user of the user device (e.g., a mobile phone), upon analyzing the two images, may select 55 the image that depicts the centrally-located damage. The mobile device may then transmit the selection to server 101, and server 101 may use this information to generate a

Alternatively, suppose that both images initially transmit- 60 ted from server 101 depict damage to the corner of the driver's side door and window in a four-door sedan. In this scenario, if both images are equally unrepresentative of the damage to the sedan in question, the user may transmit a message to server 101, stating how the reference images are 65 equally unrepresentative. In response to this message, server 101 may transmit another image or images responsive to the

14

information provided by the user in the message. Once again, the user may select one or more images that most closely depict damage to the sedan in question. Suppose that, on the second pass, server 101 again transmits two images and that, in this instance, both images depict damage to four-door sedans with centrally-located damage to the driver's side door and window. However, suppose that one of the images does not depict damage that is as severe as that exhibited by the sedan in question. In this scenario, the user may choose the image that depicts damage with the severity level consistent with the damage to the sedan in question.

By iterating through multiple rounds of image analysis and data exchange between server 101 and a user device. server 101 may, with each successive round, determine more precisely the damage associated with the sedan in question. When server 101 determines that the damage to the sedan has been fully characterized, server 101 may use the various responses provided by the user device to calculate a damage estimate for the damage to the sedan and transmit a settlement based on the calculated estimate.

In other embodiments, server 101 may transmit an insurance claim to a claims adjuster for manual processing of the claim if server 101 cannot calculate an accurate damage estimate after a predetermined number of question/answer rounds

In additional embodiments, the user may transmit audio (e.g., by speaking into the mobile device, etc.) and/or an audio file that includes a description of what happened to cause the damage to the vehicle (e.g., the specifics of an accident, etc.). This audio/audio file may be translated into text and incorporated into the photos/video of damage and/or analyzed to determine if the damage matches any narrative description provided by the user. Also, the user may transmit a text file describing damage and/or an accident that caused the damage. In yet other embodiments, the user may capture and transmit the sound of the vehicle being started and/or the sound of the vehicle running to server 101 (e.g., to determine if a muffler associated with the damaged vehicle is broken, etc.).

Based on the analysis and the damage estimate, server 101 may transmit a proposed settlement (e.g., cash compensation, etc.) for the assessed loss to the user of the mobile device in step 315. After the user receives the proposed settlement, the user may notify server 101 whether or not the proposed settlement is acceptable in step 317.

If the settlement terms are not acceptable, then the process may move to step 319 where server 101 may transmit the settlement to a claims adjuster for manual processing. If the settlement terms are acceptable, the process may move to the assessed loss directly to a bank account associated with the user.

In some aspects, users may provide feedback designed to evaluate their experience through process 300. This feedback may be used to improve process 300 for future users and may involve the use of surveys, questionnaires, email,

In other aspects, server 101 may determine and/or transmit supplemental adjustments to an initial damage/repair estimate. For instance, server 101 may determine that there is a 95% chance that repair option A must be performed, a 50% chance that additional repair option B must also be performed, and a 10% chance that additional repair option C must also be performed. When a repair shop examines the damage to a damaged vehicle and notices that there is less/additional damage, server 101 may use this information to revise an initial damage estimate with a supplemental

adjustment to the initial estimate. Also, in cases where server 101 predicts that there may be many supplemental adjustments (e.g., above a predetermined threshold number of supplemental adjustments) to the initial estimate of damage, a claims adjuster may manually evaluate the damage and determine the likelihood of each of the supplemental adjustments.

In addition, server 101 may provide the user with a list of repair facilities for repairing the vehicle. Once the vehicle enters the repair process, messages may be pushed to the mobile device of the user to identify where the vehicle is located is in the repair process (e.g., which step of the repair process is the current step, etc.). These messages may identify who is working on the vehicle and/or may include photos/video of the vehicle as it is being repaired. The messages may also identify when the repair process may be completed.

In some aspects, some types of claims may be excluded from the automated process illustrated in FIG. 3. These 20 claims may include comprehensive claims, claims with injuries to any involved parties, claims involving non-drivable vehicles or air bag deployments, claims with loss descriptions that include undercarriage/mechanical damage, claims involving motorcycle and/or recreational vehicle 25 (RV) losses, and claims involving users that already have an estimate for damage associated with an insured vehicle.

FIGS. 4-8 show various display screens displayed to a user of a mobile device in accordance with at least one aspect of the present disclosure. FIG. 4 shows a series of 30 initial display screens displayed when a user starts a damage assessment and claims processing application stored on a mobile device (e.g., network device 201) in accordance with at least one aspect of the present disclosure. Screen 401 may be the initial screen that the user views upon starting the 35 application. Screen 401 may allow the user to enter a claim number to begin a damage assessment and claims processing method. In certain aspects, the claim number may be used to compare a damage estimate generated by analysis of photos submitted by the user to a damage estimate generated 40 manually by a claims adjuster using more conventional claims adjustment techniques. Once a user enters a valid claim number, the mobile device may display screen 403, where the user is presented with photo instructions that explain to the user the types of photos that should be taken. 45 Screen 403 may include instructions on taking photos of the entire insured vehicle, VIN door tag, current odometer reading, and any damaged areas of the insured vehicle. When a user presses the "Get Started" button 403a on screen 403, the mobile device may display screen 405, which 50 allows a user to select and start taking any of the types of photos listed in screen 403 (e.g., photos of the entire vehicle, VIN door tag, current odometer reading, and/or damaged areas). The "Submit Photos" button 405a on screen 405 may be inactive until at least one photo of each type is taken by 55 the user.

FIG. 5a shows a first series of display screens displayed on a mobile device as a user takes photos of a damaged vehicle in accordance with at least one aspect of the present disclosure. In display screen 501, the user may select to take 60 a photo of the entire vehicle, the VIN door tag, and/or the specific damaged area(s). In the example of FIG. 5a, a user selects to take a photo of the entire vehicle. When a user selects one of the photo categories in screen 501, screen 503 may allow the user to select the "Capture Photo" button 65 503a to start the camera functionality within the mobile device, the "Adding Existing" button 503b to choose a photo

16

from the photo roll, and/or the "Cancel" button 503c to cancel out of the previous command.

Assuming that the user selects the "Capture Photo" button 503a in screen 503, the mobile device may display screen 505 where instructions related to the current photo type (e.g., a wide view of the entire vehicle) may be overlaid on top of the camera. The user may select the "OK" button 505a on screen 505 to close the overlay and cause display of the camera screen 507. Camera screen 507 may include a camera shutter button 507a (e.g., for taking a photo) and flash button 507b (e.g., for turning the camera flash on/off). The "Instructions" button 507c on screen 507 may open the instructions overlay from screen 505, and the "Done" button 507d on screen 507 may save all photos that have been taken to a memory of the mobile device and may return the user to the main photos screen 501. When the user selects the shutter button 507a in screen 507, the mobile device may display screen 509 to indicate that a photo is being taken. In some aspects, all buttons on screen 509 may be disabled after the user selects the shutter button 507a.

FIG. 5b shows a second series of display screens displayed on a mobile device as a user takes photos of a damaged vehicle in accordance with at least one aspect of the present disclosure. Screen 511 may allow a user to preview a photo that has been taken and take an appropriate action on this photo. In particular, the user may select a "Discard" button 511a to discard the photo or a "Use" button 511b to use the photo for damage assessment and claims processing. Assuming that the user selects "Use" button 511b, the user may proceed to take other photos within the selected photo type. When the user has taken all the photos of a given photo type, the user may select the "Done" button 513a on screen 513. After selecting the "Done" button 513a on screen 513, the mobile device may display screen 515, where thumbnail image(s) of the photo(s) that the user has already taken may be displayed in the corresponding categories.

FIG. 6 shows a series of display screens displayed on a mobile device for enabling a user to delete photos that have already been taken in accordance with at least one aspect of the present disclosure. Screen 601 displays thumbnails of all photos that have already been taken. When a user selects one of the thumbnails in screen 601, the mobile device may display screen 603, where a series of buttons may be displayed, including an additional options button 603a for displaying additional options associated with the current photo (e.g., email photo, use photo as wallpaper, etc.), a scroll to previous photo button 603b for scrolling to the previously-viewed photo in the photo reel, a play photo reel button 603c for sequentially displaying each photo in the photo reel, a scroll to next photo button 603d for scrolling to the next photo in the reel, and a delete button 603e for deleting the currently-viewed photo. If the user selects delete button 603e, the photo currently displayed may be queued for deletion and mobile device may display screen 605. Screen 605 includes an action panel with a "Delete Photo" button 605a for confirming that the currently-viewed photo is to be deleted and a "Cancel" button 605b for cancelling deletion of the currently-viewed photo. If the user selects "Delete Photo" button 605a, the currently-viewed photo is deleted and the next photo in the current category is displayed in screen 607. If the user selects a back button 607a on screen 607, the user may back out to return to photos screen 609. Screen 609 may display the remaining thumbnails stored in a memory of the mobile device, with the image that the user deleted in screen 605 removed from the list of thumbnails.

FIG. 7 shows a series of display screens displayed on a mobile device for enabling a user to submit photos for review by an enhanced claims processing server 101, in accordance with at least one aspect of the present disclosure. Screen 701 may include a "Submit Photos" button 701a for submitting photos to server 101 when all photos have been taken. When a user presses "Submit Photos" button 701a, the mobile device may display screen 703, which includes an action panel with the "Submit Photos" button 703a for confirming that the captured photos are to be submitted to 10 server 101 and a "Cancel" button 703b for cancelling the submission. If the user selects "Submit Photos" button 703a, the mobile device may display screen 705 where an upload progress bar may indicate the progress of the photo upload. Once the photos have been fully uploaded, the mobile device 15 may display screen 707, which indicates that the photos have been uploaded and explains any next steps that should be taken.

FIG. 8 shows a series of display screens displayed on a mobile device for enabling a user to receive feedback from 20 an enhanced claims processing server 101 regarding previously submitted photos, in accordance with at least one aspect of the present disclosure. When enhanced claims processing server 101 completes review of the photos submitted in FIG. 7, server 101 may transmit a notification to 25 the mobile device that feedback is ready for review. When the mobile device receives the notification, screen 801, which includes a notification that feedback is ready, may be displayed. When a user selects the "View Notification" button 801a, the mobile device may display screen 803, 30 which may include a detailed description of any feedback received from server 101. In this case, server 101 has transmitted a message that asks the user to take additional photos (e.g., of the damage to the left side of a bumper). Screen 803 may also include a "Take Photos" button 803a 35 which may allow the user to take additional photos of the damaged vehicle. When the user presses "Take Photos" button 803a, the mobile device may display screen 805 which allows the user to take more photos of the damaged vehicle (e.g., in response to the feedback received in screen 40 803) using the same process depicted in FIGS. 5a and 5b.

Once all required photos have been taken, the user may press the "Submit Photos" button 807a in screen 807. to submit the photos taken via screen 805 to enhanced claims processing server 101. When the user presses the "Submit 45 Photos" button 807a in screen 807, the mobile device may display screen 809, which includes a progress bar that shows the progress of the photo upload to server 101.

Aspects of the disclosure allow for customers/potential customers of an entity managing enhanced claims processing server 101 (e.g., an insurance company) to obtain advice about the advantages/disadvantages of formally submitting an insurance claim for damage associated with an insured item (e.g., a vehicle, home, etc.). In this regard, enhanced claims processing server 101 may process information that addresses a pre-claim consultation between potential customer/customer and an entity managing server 101. In particular, data analyzed by enhanced claims processing server 101 may be used to assign a projected overall monetary valuation of a submitted claim for a given set of 60 conditions associated with damage to an insured item so that a customer/potential customer may decide whether or not to submit a claim.

In some aspects, a customer/potential customer of an entity managing enhanced claims processing server 101 65 (e.g., an insurance company) or an agent associated with the entity managing enhanced claims processing server 101 may

generate data (photos, video, descriptive text, etc.) associated with damage to an insured item. This data may be transmitted to enhanced claims processing server 101, where the data may be analyzed along with data associated with the terms of an insurance policy associated with (e.g., insuring) the damaged item.

18

In some aspects, an agent associated with the entity managing enhanced claims processing server 101 may obtain details of an insurance policy associated with a damaged item in one of several ways. For instance, if the damaged item is associated with a customer of the entity managing enhanced claims processing server 101, the agent may access a database associated with enhanced claims processing server 101 for this information. In other aspects, an agent of the entity managing enhanced claims processing server 101 may simply ask a customer/potential customer associated with the damaged item for details such as deducible amounts, premium levels, special provisions, coverage limits, etc. of the relevant insurance policy. The agent may then transmit these details to enhanced claims processing server 101.

Enhanced claims processing server 101 may then analyze information related to damage of the insured item and information related to an associated insurance policy providing insurance coverage for the insured item to determine consequences of formally submitting an insurance claim to seek compensation for the damage. For instance, by analyzing the extent of deductions associated with the insurance policy covering the insured item and the extent that rewards (e.g., safe driver reward, etc.) will be lost for submitting a claim, enhanced claims processing server 101 may calculate the extent that the premium amount associated with the insurance policy covering the damaged item will increase during a subsequent term if the claim is submitted. In addition to calculating an effect on premium and rewards, enhanced claims processing server 101 may also calculate other effects such as a surcharge or probability of renewal. Based on this information, an agent associated with the entity managing enhanced claims processing server 101 may provide advice to the customer/potential customer on whether or not the customer/potential customer stands to benefit by formally submitting the insurance claim. In other aspects, enhanced claims processing server 101 may directly transmit this advice to a customer/potential customer.

In other aspects, this process may also allow enhanced claims processing server 101 and/or an agent associated with the entity managing enhanced claims processing server 101 to offer upsell materials. For instance, by examining details of an accident, the type of insurance maintained by the insured, and other details of the insured, including other assets maintained by the insured and other types of insurance maintained by people similar to the insured, enhanced claims processing server 101 may provide an offer for a new insurance product and/or discounts associated with already purchased insurance products to entice a customer/potential customer to either become a customer of an entity managing enhanced claims processing server 101 and/or to purchase additional products offered by the entity managing enhanced claims processing server 101.

FIG. 9 shows a flow chart 900 for providing pre-claim consultations in accordance with at least one aspect of the present disclosure. The process may begin at step 901 where enhanced claims processing server 101 may receive data related to damage of an insured item. Server 101 may receive this data, for example, through a mobile device operated by a user and/or through an agent associated with an entity managing server 101.

Once this data is received, server 101 may determine if the insured item is associated with a current customer of the entity managing server 101 in step 903. If the insured item is not associated with a current customer of an entity managing server 101, server 101 may receive details of an insurance policy insuring the insured item directly from the potential customer (e.g., via a mobile device, etc.) and/or from an agent associated with the entity managing server 101 in step 905. If the insured item is associated with a current customer of an entity managing server 101 may access information related to details of an insurance policy associated with the insured item from an associated database (e.g., a database of customer information) in step 907.

Either from step 905 or 907, the process may move to step 909 where enhanced claims processing server 101 may analyze data related to damage of the insured item and information related to the relevant insurance policy. Based on this analysis, server 101 may calculate the overall con- 20 sequences (e.g., overall monetary valuation of benefit/detriment) of submitting an insurance claim for damage to the insured item in step 911. For instance, server 101 may calculate the overall monetary valuation by examining a projected increase in premium amount and a projected 25 refund (e.g., settlement amount) for submitting the claim. Once the overall consequences are calculated, the process may then move to step 913 where server 101 may transmit the calculations to a potential customer/customer. Server 101 may also offer a suggestion or other information to help 30 the potential customer/customer decide whether or not to submit an insurance claim for the damaged item.

The process may also move optionally to step **915** where server **101** may transmit upsell materials (e.g., information about new products/services, special promotions, etc.) based 35 on customer details, insurance policy details, damage details, etc.

As an example, consider a scenario where a customer of an insurance company gets into an at-fault automobile accident that damages the front fender of his car. Assume 40 that the customer drives the car to a branch office of the insurance company where he has an automobile insurance policy. The customer seeks advice on whether or not he should submit a claim for damage to his car. The insurance agent at the branch office may take several photos of the 45 damaged fender and may transmit this information to enhanced claims processing server 101, along with details associated with the customer (e.g., name, age, insurance policy number, etc.).

Once this information is received, server 101 may first 50 determine if the received photos clearly depict damage to the insured vehicle. If they do not clearly depict any damage, server 101 may request additional photos from the customer and/or from the insurance agent. Once all relevant photos have been taken, server 101 may access the relevant insursurance policy covering the damaged vehicle.

Assume that in this scenario, the customer pays a \$100 monthly premium with a zero deductible to maintain his insurance policy. Also, assume that enhanced claims processing server 101 calculates that the rating plan for his 60 insurance policy dictates a premium increase of \$50 a month for a one-year period (accident-free) for the severity of accident that he experienced. Finally, assume that enhanced claims processing server 101 further estimates that the assessed damage to his automobile is \$500. Thus, server 101 calculates that he would pay an extra \$600 (\$50 times 12 months=\$600) in premium during the course of the subse-

20

quent year and a settlement amount of \$500 for assessed damage, if he were to submit the claim.

In this scenario, server 101 may transmit a summary of the monetary valuation and suggest that the customer could choose not to submit the claim, given that the overall increase in premium exceeds the benefit (i.e., settlement amount) from submitting the claim.

Further aspects of the disclosure allow for customers of a given entity managing enhanced claims processing server 101 (e.g., an insurance company) to obtain insurance claim advice from a third party entity prior to submission of a claim for damage to an insured item. The third party entity may be another insurance company, an insurance broker, or some other entity separate from the entity at which the insured is a customer. An enhanced claims processing server 101 associated with a third party entity may obtain details (premium amounts, deductible amounts, coverage limits, etc.) about an insurance policy associated with an insured item and information about damage associated with the insured item from the insured, from the entity at which the insured is a customer, and/or from a public source (e.g., public records databases that store accident information, etc.). In one embodiment, this aspect of the disclosure may allow consumers to obtain insurance advice anonymously (e.g., by entering relevant information related to damage of an insured item through a website).

In some aspects, enhanced claims processing server 101 associated with a third party entity may infer details about an insurance policy associated with the insured based on known details about insurance policies maintained by other consumers with characteristics similar to the insured. For instance, if the third party entity is another insurance company, the third party entity may itself maintain a customer database that stores customer information like age, occupation, income level, etc. and information about insurance policies maintained by these customers. In this scenario, server 101 associated with the third party entity may match characteristics of the insured to characteristics of current customers of the third party entity. Once matched, server 101 associated with a third party entity may infer that characteristics of insurance policies maintained by customers similar to the insured are also associated with an insurance policy maintained by the insured.

If the third party entity is not an insurance company and/or if the third party entity does not have access to customer information storing insurance policy details, enhanced claims processing server 101 associated with a third party entity may use other methods to infer insurance policy details associated with the insured. For instance, server 101 associated with a third party entity may run algorithms that approximate insurance policy details associated with a given consumer based on inputs such as age, gender, income level, the insured item under consideration, etc.

Once enhanced claims processing server 101 associated with a third party entity has calculated details about an insurance policy that insures a damaged item that is associated with a consumer that is not currently a customer of the third party entity, server 101 associated with a third party entity may analyze the information related to the damage associated with an insured item and other information related to the insurance policy that insures the damaged item to calculate an overall monetary valuation of submitting an insurance claim for damage to the insured item.

Based on the overall monetary valuation, enhanced claims processing server 101 associated with a third party entity may suggest whether or not to submit an insurance claim for

damage to the insured item. As before, the monetary valuation may consider information such as a projected amount by which a premium of an insurance policy maintained by the insured will increase and a projected settlement amount that will be paid to the insured for damage associated with 5 assessed loss to the insured item, among other things.

21

In other aspects, enhanced claims processing server 101 associated with a third party entity may provide other incentives/services to a consumer when the consumer seeks advice prior to formal submission of an insurance claim for 10 damage associated with an insured item. For instance, after transmitting, to the consumer, a suggestion of whether or not to submit an insurance claim for damage to an insured item, server 101 associated with a third party entity may offer to pay for the assessed loss (or a portion thereof) associated 15 with damage to the insured item, if the consumer will agree to become a customer of the third party entity. In this regard, enhanced claims processing server 101 associated with a third party entity may offer a customized insurance product may result in a better overall monetary valuation of formally submitting a claim for damage to the insured item.

FIG. 10 shows a flow chart 1000 for providing pre-claim consultations with a third party entity in accordance with at least one aspect of the present disclosure. The process may start out at step 1001 where an enhanced claims processing server 101 associated with a third party entity may receive data related to damage of an insured item. Server 101 may receive this data in a variety of ways, such as via a mobile device of a consumer associated with the damaged item, via 30 an agent associated with the third party entity, etc. The process may then move to step 1003 where server 101 associated with the third party entity may evaluate information related to an insurance policy associated with the insured item. As outlined above, server 101 may evaluate 35 this information in a variety of ways. Because the insured is not a customer of the third party entity, server 101 associated with the third party entity may determine information related to an insurance policy associated with the insured item directly from the insured, by evaluating known insurance 40 policy details of people similar to the insured, by running an algorithm that uses publicly available information related to insurance purchasing tendencies of those with predetermined characteristics, etc.

associated with a third party entity may analyze the data related to damage of the insured item and the information related to an insurance policy of the insured. Based on this analysis, enhanced claims processing server 101 associated with a third party entity may calculate an overall valuation 50 of submitting an insurance claim for damage associated with the insured item in step 1007. This valuation may consider information such as a projected premium increase for maintaining an insurance policy associated with the damaged item and a projected settlement amount for assessed damage 55 associated with the insured item, if a claim for the damage is actually submitted.

Next the process may move to step 1009 where enhanced claims processing server 101 may transmit, to either an agent associated with a third party entity and/or the con- 60 sumer in question, a suggestion or other information to help the consumer decide whether or not to submit an insurance claim for damage associated with the insured item. Finally, in step 1011, enhanced claims processing server 101 may transmit, to either an agent associated with a third party entity and/or the consumer in question, one or more incentives based on consumer details (age, gender, etc.), insurance

22

policy details (level of coverage, premium levels, deductible amounts, etc.), and/or details associated with a damaged item. These incentives may relate to an offer for insurance that better covers the assessed loss for damage to the insured item and/or an offer to pay for the assessed loss (or a portion thereof), if the insured agrees to become a customer of the third party entity. Also, if the insured agrees to purchase an insurance policy offered by the third party entity, these incentives may also relate to an extension of accident forgiveness for an accident related to the pre-claim consultation in question.

As an example, consider a scenario where a consumer goes to an insurance company for a second opinion on damage associated with her insured vehicle. Assume also that she is dissatisfied with the advice given to her by the insurance company at which she is a customer, and so she arrives at a third party insurance company to determine if other options might be available to her.

An insurance agent associated with the third party entity that may better cover damage to the insured item and/or that 20 may obtain demographic details associated with the consumer and may transmit these details to an enhanced claims processing server 101 associated with the third party insurance company. These details may include information related to age, income level, and address of the consumer in question, among other things. The insurance agent associated with the third party entity may also help the consumer take a few photos of her damaged vehicle and may transmit these images to server 101 associated with the third party entity.

> In this particular scenario, assume that the consumer is reluctant to divulge the details of her insurance policy with the third part insurance agency. Therefore, server 101 associated with the third party insurance company may crossreference her demographic characteristics with those of people similar to her that are already customers of the third party insurance company. Server 101 associated with the third party entity may then evaluate characteristics of insurance policies maintained by people similar to the consumer in question and may infer that these characteristics are also characteristics of an insurance policy maintained by the consumer in question.

Server 101 associated with the third party entity may then analyze the image data depicting damage to her damaged vehicle to assess the loss associated with the damage. This The process may then move to step 1005 where server 101 45 analysis, combined with inferred details about the insurance policy maintained by the consumer, may be used to estimate an overall monetary valuation of submitting an insurance claim for damage associated with her vehicle. Assume that in this case, the consumer in question pays a \$50 monthly premium to maintain her automobile insurance policy and has a \$500 deductible associated with this policy. Assume also that enhanced claims processing server 101 associated with the third party entity determines that the assessed loss associated with her vehicle is \$300 and that her monthly premium will increase by \$20 per month for a six month period (after which it will return to \$50 per month) if she were to submit a claim for her loss. Thus, server 101 associated with the third party entity may estimate that the consumer in question stands to benefit very little by submitting a claim for her loss (as the assessed loss is less than her deductible and her premium would increase as a result of the submitted claim). Therefore, enhanced claims processing server 101 associated with the third party entity may suggest that she could choose not to submit a claim for this loss.

In this scenario, enhanced claims processing server 101 associated with the third party entity may further suggest

additional insurance products to the consumer. These insurance products may be tailored to better cover the type of damage associated with her vehicle. For example, enhanced claims processing server 101 associated with the third party entity may suggest an insurance product that has a lower deductible (e.g., a \$100 deductible) with a smaller increase in premium for accidents of the nature experienced by the consumer. To further incentivize this insurance product, enhanced claims processing server 101 associated with the third party insurance company may offer to pay for the 10 assessed loss (i.e., \$300) if the consumer in question agrees to become a customer of the third party insurance company.

In both the processes discussed in FIG. 9 and FIG. 10, an agent of an entity managing enhanced claims processing server 101 may perform a manual calculation to estimate 15 any effects of formally submitting an insurance claim for loss associated with an insured item.

Aspects of the disclosure enable a user device (e.g., mobile phone, tablet, etc.) to serve as a portal for efficiently providing access to services provided by third party entities 20 to consumers (e.g., customers, potential customers) who are undergoing a claims adjustment process as a result of damage to an insured item. In this aspect, a consumer and/or an agent associated with an entity (e.g., an insurance company) managing enhanced claims processing server 101 may 25 transmit, to server 101, images, video, and/or data related to damage associated with an insured item, and server 101 may stream this information to a third party entity (e.g., a preferred partner of the entity managing server 101) in real-time as server 101 is analyzing this information to 30 assess damage associated with the insured item.

A third party entity may provide any of various types of services that may be of interest to a consumer. For instance, a third party entity may represent a repair agency for repairing damage to damaged vehicles. By viewing the 35 damage to a damaged vehicle as the claims adjustment process is still on-going, the repair agency may be able to estimate an approximate cost and best strategy for repairing the damage, thereby allowing an entity managing enhanced claims processing server 101 and associated consumers to 40 plan the repair process much more efficiently. Enhanced claims processing server 101 may also transmit information related to damage of an insured item to multiple repair agencies, for example, to compare repair cost estimates and repair strategies.

Moreover, server 101 may use feedback received from third party entities such as repair agencies in the claims adjustment process itself (e.g., for generating a settlement value for settling claims related to the damage). For instance, enhanced claims processing server 101 may gen- 50 erate (e.g., by analyzing data related to damage of an insured item and other information related to an insurance policy maintained by a consumer associated with the insured item) a first cost estimate for repairing damage associated with an insured item and may receive a second cost estimate for this 55 repair from a third party repair shop. If the first cost estimate and the second cost estimate differ by a predetermined threshold, server 101 may then compare the two values to calculate a final cost estimate for repairing the damage to the insured item and thereby settling an insurance claim related 60 to the damage.

Third party entities may also represent other entities such as junkyards, vehicle dealers, governmental agencies, etc. For instance, consumers may be interested in allowing junkyards to view damage associated with an insured car to 65 estimate how much compensation they would receive for the car if the car was declared a total loss. Similarly, a consumer

24

may be interested in allowing vehicle dealers to view damaged vehicles to estimate trade-in values if the consumer were interested in trading in a damaged vehicle for another vehicle. Moreover, consumers may be interested in transmitting information related to damage of an insured item to governmental agencies such as police stations to allow these agencies to process items such as accident reports, etc. related to the damage.

Using this process, rather than taking pictures with a phone and then submitting the pictures to a third party entity such as a repair agency, the repair agency may obtain damage information in real-time while an agent or consumer associated with an entity managing enhanced claims processing server 101 is holding the phone and gathering image data from different angles around the damaged item. In other aspects, third party entities such as repair agencies may analyze streamed data, images, and video as it is being sent and save only those portions that are of interest (e.g., those portions that clearly depict damage to the insured item). In yet other aspects, customers/potential customers/agents associated with an entity managing enhanced claims processing server 101 may transmit audio information (e.g., a description that explains video and images being streamed) related to damage associated with an insured item in realtime to third party entities.

In additional aspects, a third party entity receiving information related to damage of an insured item may, upon viewing the information, request additional information and/or images. Enhanced claims processing server 101 may transmit the request to a user device and may receive the requested information from the user device for transmission to the third party entity.

FIG. 11 shows a flow chart 1100 for using a user device to allow a third party entity to learn about damage to an insured item while the damage is still being assessed through a claims adjustment process in accordance with at least one aspect of the present disclosure. The process may start out at step 1101 where enhanced claims processing server 101 may receive data related to damage of an insured item. Once the data is received, server 101 may immediately (e.g., in real-time) forward the data to a third party entity in step 1103. The third party entity may analyze the data and, if additional data is required, may transmit a request for this additional data in step 1105.

Enhanced claims processing server 101 may transmit this request for additional data to a user device in step 1107 and may receive a response with the additional data in step 1109. Finally, in step 1111, server 101 may forward this additional data to the third party entity.

As an example, consider a scenario where a customer of an insurance company drives his car to a local branch office so that the agent at the branch office can assist him in filing a claim for an accident which caused damage to the front windshield of his car.

The insurance agent at the branch office may use his tablet computer to take images of the damaged windshield and may transmit this information to enhanced claims processing server 101. As the insurance agent is taking photos of the damaged windshield, enhanced claims processing server 101 forwards the image data in real-time to a preferred repair shop.

The repair shop analyzes the information as it is being sent and generates a cost estimate for repairing the broken windshield. The repair shop then transmits this cost estimate to enhanced claims processing server 101 so that the insur-

ance agent and the customer can use this information in assessing the damage and deciding on a vendor for repairing the broken windshield.

In additional aspects of the disclosure, an agent associated with an entity managing enhanced claims processing server 101 (e.g., an insurance company) may use a user device (e.g., mobile device, tablet, etc.) to capture damage data (e.g., images, video, text, etc.) associated with damage to an insured item so that a customer/potential customer of the entity managing enhanced claims processing server 101 may 10 review the data for completeness and accuracy. This particular aspect of the disclosure may reduce the number of potential errors and likelihood of fraud associated with capturing images related to damage of an insured item (e.g., because an agent associated with the entity managing 15 enhanced claims processing server 101 is capturing images rather than the customer/potential customer of the entity managing enhanced claims processing server 101). In addition, a potential customer/customer of an entity managing enhanced claims processing server 101 may not have to wait 20 at the entity managing enhanced claims processing server 101 (e.g., an insurance company) for a claims adjuster to review and analyze damage data, because an agent may submit captured damage data to enhanced claims processing server 101 once appropriate images have been captured. 25 Furthermore, as some potential customers/customers of an entity managing enhanced claims processing server 101 may not possess a user device (e.g., mobile device, tablet, etc.) configured to capture damage data, this aspect of the invention facilitates access of services to these customers/poten- 30 tial customers, as an agent associated with the entity managing enhanced claims processing server 101 may use his or her own user device to capture damage data.

In general, damage data may depict damage using various technologies (e.g., 3-dimensional images for depth information, panoramic images, video data, etc.) to allow different types of information to be gleaned. In addition to video and image data generated by an agent and/or a customer/potential customer associated with an entity managing enhanced claims processing server 101, agents and customers/potential customers may also transmit a verbal description of damage to enhanced claims processing server 101.

If a customer/potential customer of an entity managing enhanced claims processing server 101 finds no problems with the damage data, the data may be forwarded to 45 enhanced claims processing server 101 (e.g., via an agent, directly from a customer/potential customer of an entity managing enhanced claims processing server 101, etc.). If a customer/potential customer of an entity managing enhanced claims processing server 101 determines that there 50 are problems, the customer/potential customer may transmit these concerns to the agent so that the agent can address them prior to transmitting the damage data to enhanced claims processing server 101. In some aspects, a customer/ potential customer of an entity managing enhanced claims 55 processing server 101 may certify that damage data shows only damage from a most recent accident (and excludes prior damage).

In some aspects, a customer/potential customer of an entity managing enhanced claims processing server 101 may 60 receive an Internet link (e.g., as part of a message) to damage data captured by an agent associated with the entity managing enhanced claims processing server 101. A customer/potential customer of an entity managing enhanced claims processing server 101 may then review the received damage 65 data and, if required, may add information to the received data set and/or modify the received data set before trans-

26

mitting the received data and any additional/modified data back to a user device associated with the agent. In yet other aspects, an agent associated with an entity managing enhanced claims processing server 101 may request additional damage data from a potential customer/customer and upon receipt of this request, a potential customer/customer may capture the requested data prior to transmitting the data for review by the agent.

A customer/potential customer of an entity managing enhanced claims processing server 101 may also receive other types information from a user device associated with an agent of an entity managing enhanced claims processing server 101. For instance, if an entity managing enhanced claims processing server 101 is an insurance company, an agent associated with the insurance company may use a user device to transmit information about insurance products, discounts, and/or rewards offered by the insurance company. A customer/potential customer of the insurance company may review this information and transmit to the agent an indication of whether or not he wants to take further action (e.g., purchase, request more information, etc.) on products presented to the customer/potential customer.

FIG. 12 shows a login screen displayed on a user device (e.g., mobile phone, tablet, etc.) in accordance with at least one aspect of the present disclosure. Login screen 1201 may allow an agent associated with an entity managing enhanced claims processing server 101 to enter a username and password to login to an application and access capabilities related to capturing damage data associated with an insured item owned/operated by a potential customer/customer of an entity managing enhanced claims processing server 101.

FIG. 13 shows two display screens displayed on a user device that allow a user to capture damage information associated with a new claim and/or access information related to claims that have been previously submitted for claims adjustment, in accordance with at least one aspect of the present disclosure. In some aspects, screens 1301 and 1303 and future display screens discussed herein may be displayed only after a user enters login information (e.g., through screen 1201). If an entity managing enhanced claims processing server 101 is an insurance company, an insurance agent associated with the insurance company may access screen 1301 to create a new claim (e.g., for a damaged vehicle) for claims adjustment by selecting the "Get Started" button in section 1301a, view a summary of claims that have been initiated by the insurance agent and that are currently being analyzed by a claims adjuster (e.g., "active estimates") by selecting section 1301b, and view a summary of claims that have been initiated by the insurance agent and that have already been analyzed by a claims adjuster (e.g., "complete estimates") by selecting section

Meanwhile, screen 1303 shows an alternative arrangement of information for allowing an insurance agent to create new claims for claims adjustment and/or view claims that have already been submitted. By selecting the "Get Started" button in section 1303a, an insurance agent may be directed to other screens that will allow him to capture damage information related to a new claim. In addition, section 1303b shows a summary of active claims initiated by the insurance agent in question. Section 1303b includes information such as a customer name to which a given claim corresponds, an insurance policy number associated with the claim, a claim number, the name of the insurance agent associated with the claim, the name of a claims adjuster processing the claim, contact information for the claims adjuster, the status of the claim, and the time/date of the last

status update, along with a link to any new messages received in connection with the processing of a given claim. Screen 1303 may also include section 1303c, which includes a summary of all claims initiated by the insurance agent in question and that have completed the claims adjustment 5 process.

FIG. 14 shows two display screens displayed on a user device for displaying messages associated with a given claim, in accordance with at least one aspect of the present disclosure. Screen 1401 shows a message history in section 10 1401a between two people associated with a given claim (e.g., an insurance agent who initiated the claim and a claims adjuster reviewing claim information, etc.). New messages may be entered by using the keypad shown in section 1401c and by selecting the "Send" button 1401b.

Screen 1403 shows a second display screen with a message history 1403a between people involved with a claim. The message history 1403a shown in screen 1403 also includes enhanced features such as a "Retake VIN Photo" button 1403b that may allow one of the participants of the 20 conversation to retake a photo associated with a vehicle identification number (VIN) of a vehicle that is being processed in related to the claim. In addition, screen 1403 also includes a "Send" button 1403c to allow one of the participants of the conversation to send a new message.

FIG. 15 shows a first set of two display screens displayed on a user device for providing user instructions for capturing images related to damage associated with an insured item, in accordance with at least one aspect of the present disclosure. Screen 1501 includes a window 1501a and instructions 30 **1501**b for capturing a predetermined type of image of the damage associated with an insured item. For instance, in this particular example, window 1501a and instruction 1501bboth relate to capturing a close-up image of damage associated with an insured vehicle. After reviewing the image in 35 window 1501a and the related hint specified by instruction 1501b, an insurance agent associated with an entity managing enhanced claims processing server 101 may capture an appropriate type of image with a user device by selecting the "Take Photos" button 1501c. In addition, an insurance agent 40 may request further instructions on how to capture relevant images by selecting the "Next Hint" button 1501d.

Meanwhile, screen 1503 includes a second window 1503a and associated instruction 1503b for capturing a second type of image associated with damage to an insured item. For 45 instance, window 1503a and instruction 1503b relate to capturing damage to an insured vehicle from different angles. If a user (e.g., an insurance agent) is ready to capture, with a user device, the type of images specified by window 1503a and hint 1503b, the user may select the "Take Photos" 50 button 1503c. Alternatively, if the user needs further instructions on capturing relevant images, the user may select the "Next Hint" button 1503d. It should be noted that the type of images specified by screen 1501 and 1503 are exemplary, and any number of other types of images may also be 55 requested.

FIG. 16 shows two display screens that display images of damage being captured by a user device, in accordance with at least one aspect of the present disclosure. Screen 1601 includes a viewfinder window 1601a where a given type of 60 image specified by instruction 1601b (e.g., a close-up view of a damaged area) is put into focus with an imaging device (camera, etc.) associated with a user device on which an application supporting this functionality is running. Once a user is ready to capture the image seen in viewfinder window 65 1601a, the user may capture the photo by selecting the "Take Photo" button 1601c.

28

Meanwhile, screen 1603 includes a different viewfinder window 1603a where a different type of image specified by instruction 1603b (e.g., a view of a damaged area from a different angle) is put into focus with an imaging device (e.g., camera) associated with a user device. Again, once a user is ready to capture the image seen in viewfinder window 1603a, the user may capture the image by selecting the "Retake Photo" button 1603c (assuming a first version of the photo has already been taken).

FIG. 17 shows a second set of two display screens displayed on a user device for providing user instructions for capturing images related to damage associated with an insured item, in accordance with at least one aspect of the present disclosure. Screen 1701 includes a window 1701a and associated instruction 1701b for capturing a given type of image. In this particular example, window 1701a and instruction 1701b direct a user to capture images of each corner of an insured vehicle. If a user is ready to capture the images, the user may select the "Take Photos" button 1701c. Alternatively, if a user needs further instructions on capturing relevant images, the user may select the "Next Hint" button 1701d.

Screen 1703 includes a window 1703a and associated instruction 1703b for capturing a different type of image. In this example, window 1703a and instruction 1703b direct a user to take images of an entire vehicle. As before, if a user is ready to capture the images, the user may select the "Take Photos" button 1703c. Alternatively, if a user needs further instructions on capturing relevant images, the user may select the "Next Hint" button 1703d.

FIG. 18 shows a display screen with visual aids for aiding a user in properly positioning an imaging device associated with a user device to capture images related to damage of an insured item, in accordance with at least one aspect of the present disclosure. Screen 1801 may include a window **1801***a* with visual aids **1801***b* to aid a user in positioning an imaging device (e.g., a camera) associated with a user device (e.g., tablet, mobile phone, etc.) so that the imaging device correctly captures an image associated with instruction 1801c. In this particular example, window 1801a includes markers for positioning a camera so that the front and driver's side of a damaged vehicle appear in the proper location of an image. Once a camera is properly positioned, a user (e.g., an insurance agent associated with an entity managing enhanced claims processing server 101) may select the "Retake Photo" button 1801d (assuming a first but somehow defective version of this image had already been taken).

FIG. 19 shows two display screens displayed on a user device for displaying instructions related to capturing images for processing a claim associated with damage of an insured item, in accordance with at least one aspect of the present disclosure. In this particular example, screens 1901 and 1903 include images associated with a vehicle identification number (VIN) and odometer reading associated with a damaged vehicle. Screen 1901 includes a viewfinder window 1901a displaying an image of a VIN tag associated with a damaged vehicle. Screen 1901 also includes an instruction 1901b for capturing the VIN tag displayed in window 1901a. If a user (e.g., an insurance agent) is ready to capture an image displayed in viewfinder window 1901a, the user may select the "Retake Photo" button 1901c (assuming a first but somehow defective version of this image had already been taken). In alternative embodiments, a user may enter in a VIN through a keypad on a user device and/or may scan the VIN optically (e.g., as a barcode).

Meanwhile, screen 1903 includes a viewfinder window 1903a displaying an odometer reading associated with a damaged vehicle. Screen 1903 also includes an instruction 1903b for capturing the odometer reading displayed in window 1903a. If a user (e.g., an insurance agent) is ready 5 to capture an image displayed in viewfinder window 1903a, the user may select the "Retake Photo" button 1903d (assuming a first but somehow defective version of this image had already been taken). Alternatively, if a user is satisfied with the image already captured for this step, the user may 10 move to the next step by selecting the "Next Step" button 1903a.

FIG. 20 shows two display screens displayed on a user device for reviewing images depicting damage to an insured item, as captured by an imaging device, in accordance with 15 at least one aspect of the present disclosure. Screen 2001 includes an image 2001a and instructions 2001b related to user review of captured images. Once a user (e.g., an insurance agent associated with an entity managing enhanced claims processing server 101, a potential customer/customer of an entity managing enhanced claims processing server 101) has reviewed and understood instructions 2001b, the user may select the "Continue" button 2001c.

Meanwhile, screen **2003** includes an image **2003** *a* that 25 depicts an insured item (e.g., a vehicle) and that has already been captured by an imaging device associated with a user device (e.g., a mobile phone, tablet, etc.). Screen **2003** also includes various options related to image **2003***a*; for instance, screen **2003** includes a "Remove" button **2003***b* for 30 deleting image **2003***a* from a memory associated with the user device on which image **2003***a* is stored, a "Retake" button **2003***c* for recapturing image **2003***a*, and an "Add Photo" button **2003***d* for adding another photo related to damage associated with an insured item.

FIG. 21 shows a display screen displayed on a user device for displaying claim information associated with damage to an insured item, in accordance with at least one aspect of the present disclosure. Screen 2101 includes a section 2101a for entering contact information associated with a claim, such as 40 a customer name 2101b and a submitter name 2101c (e.g., an insurance agent associated with an entity managing enhanced claims processing server 101). Screen 2101 also includes a section 2101d for entering claim information such as a claim number 2101e associated with damage to an 45 insured item and a section 2101f for entering policy information such as a policy number 2101g associated with an insurance policy covering damage to the insured item. Finally, screen 2101 may also include a section 2101h for adding additional details associated with the claim in ques- 50 tion. These additional details may relate to special processing instructions, information on any of the images captured in relation the claim, etc. Once all information has been entered, a user may select the "Submit for Estimate" button 2101i for submitting the claim for review by a claims 55 adjuster.

It should be noted that one or more aspects of the above-described embodiments may be applied to various types of items that may or may not be insured, such as vehicles, homes, other properties, etc.

The foregoing descriptions of the disclosure have been presented for purposes of illustration and description. They are not exhaustive and do not limit the disclosure to the precise form disclosed. Modifications and variations are possible in light of the above teachings or may be acquired 65 from practicing of the disclosure. For example, the described implementation includes software but the present disclosure

30

may be implemented as a combination of hardware and software or in hardware alone. Additionally, although aspects of the present disclosure are described as being stored in memory, one skilled in the art will appreciate that these aspects can also be stored on other types of computer-readable media, such as secondary storage devices, like hard disks, floppy disks, or CD-ROM; a carrier wave from the Internet or other propagation medium; or other forms of RAM or ROM.

What is claimed is:

- 1. A mobile computing device comprising:
- a wireless network interface:
- a camera;
- a display screen; and
- a non-transitory memory storing computer-readable instructions therein, the instructions, when executed by a processor of the mobile computing device, causing the mobile computing device at least to:
 - present, on the display screen, a viewfinder that depicts a real-time image of a damaged object captured by the camera:
 - display, within the viewfinder, a graphical visual aid overlaid on the real-time image, wherein the graphical visual aid indicates the real-time image of the damaged object is properly positioned within the viewfinder based on a portion of the damaged object aligning with at least a portion of the graphical visual aid:
 - capture, via the camera, a first image of the damaged object;
 - send, via the wireless network interface and to an insurance claim processing server, the first image;
 - receive, via the wireless network interface, from the insurance claim processing server and in response to the insurance claim processing server determining that the first image is not acceptable, a request for a second image of the damaged object, the request comprising instructions associated with the requested second image;
 - present, on the display screen and within the viewfinder, a second graphical visual aid that indicates a different position for the damaged object within the viewfinder based on the instructions;
 - capture, via the camera and in response to the request, a second image of the damaged object;
 - automatically process the second image of the damaged object, comprising determining a vehicle identifier using at least one of code scanning and optical character recognition; and
 - send, via the wireless network interface and to the insurance claim processing server, based on a result of the automatic processing, the second image of the damaged object.
- 2. The mobile computing device of claim 1, wherein the computer-readable instructions stored in the non-transitory memory, when executed by the processor, further cause the mobile computing device to:

present, on the display screen, an instruction describing a type of image to be captured.

- 3. The mobile computing device of claim 1, wherein the portion of the damaged object is a lateral side of the damaged object.
- **4**. The mobile computing device of claim **1**, wherein the computer-readable instructions stored in the non-transitory memory, when executed by the processor, further cause the mobile computing device to:

- present, on the display screen, a summary of one or more insurance claims initiated by a user.
- 5. The mobile computing device of claim 1, wherein the portion of the damaged object is a front side of the damaged object.
- 6. The mobile computing device of claim 1, wherein the damaged object comprises a vehicle.
 - 7. A method comprising:
 - presenting, by a mobile computing device and on a display screen of the mobile computing device, a 10 viewfinder that depicts a real-time image of a damaged object captured by a camera of the mobile computing device:
 - displaying, by the mobile computing device and within the viewfinder, a graphical visual aid overlaid on the 15 real-time image, wherein the graphical visual aid indicates the real-time image of the damaged object is properly positioned within the viewfinder based on a portion of the damaged object aligning with at least a portion of the graphical visual aid;
 - capturing, by the mobile computing device and via the camera, a first image of the damaged object;
 - sending, by the mobile computing device and via a wireless network interface of the mobile computing device, and to an insurance claim processing server, the 25 first image;
 - receiving, by the mobile computing device and via the wireless network interface, from the insurance claim processing server and in response to the insurance claim processing server determining that the first image 30 is not acceptable, a request for a second image of the damaged object, the request comprising instructions associated with the requested second image;
 - presenting, by the mobile computing device, on the display screen and within the viewfinder, a second graphi- 35 cal visual aid that indicates a different position for the damaged object within the viewfinder based on the instructions;
 - capturing, by the mobile computing device, via the camera and in response to the request, a second image of the 40 damaged object:
 - automatically processing the second image of the damaged object, comprising determining a vehicle identifier using at least one of code scanning and optical character recognition; and
 - sending, by the mobile computing device, via the wireless network interface and to the insurance claim processing server, based on a result of the automatic processing, the second image of the damaged object.
 - **8**. The method of claim **7**, further comprising:
 - presenting, by the mobile computing device and on the display screen, an instruction describing a type of image to be captured.
- 9. The method of claim 7, wherein the portion of the damaged object is a lateral side of the damaged object or a 55 front side of the damaged object.
 - 10. The method of claim 7, further comprising:
 - presenting, by the mobile computing device and on the display screen, a summary of one or more insurance claims initiated by a user.
- 11. The method of claim 7, wherein the damaged object comprises a vehicle.

- 12. A system comprising:
- an insurance claim processing server configured to receive one or more images from a mobile computing
- the mobile computing device, wherein the mobile computing device is configured to:
 - present, on a display screen of the mobile computing device, a viewfinder that depicts a real-time image of a damaged object captured by a camera of the mobile computing device;
 - display, within the viewfinder, a graphical visual aid overlaid on the real-time image, wherein the graphical visual aid indicates the real-time image of the damaged object is properly positioned within the viewfinder based on a portion of the damaged object aligning with at least a portion of the graphical visual aid;
 - capture, via the camera, a first image of the damaged object;
 - send, via a wireless network interface of the mobile computing device, and to an insurance claim processing server, the first image;
 - receive, via the wireless network interface, from the insurance claim processing server and in response to the insurance claim processing server determining that the first image is not acceptable, a request for a second image of the damaged object, the request comprising instructions associated with the requested second image;
 - present, on the display screen and within the viewfinder, a second graphical visual aid that indicates a different position for the damaged object within the viewfinder based on the instructions;
 - capture, via the camera and in response to the request, a second image of the damaged object;
 - automatically process the second image of the damaged object, comprising determine a vehicle identifier using at least one of code scanning and optical character recognition; and
 - send, via the wireless network interface and to the insurance claim processing server, based on a result of the automatic processing, the second image of the damaged object.
- 13. The system of claim 12, wherein the mobile computing device is further configured to:
 - present, on the display screen, an instruction describing a type of image to be captured.
- 14. The system of claim 12, wherein the portion of the damaged object is a lateral side of the damaged object or a front side of the damaged object.
- 15. The system of claim 12, wherein the mobile computing device is further configured to:
 - present, on the display screen, a summary of one or more insurance claims initiated by a user.
- 16. The system of claim 12, wherein the damaged object comprises a vehicle.